



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

 IHM LICENSES, LLC
 7136 S. YALE AVENUE
 SUITE 501
 TULSA OK 74136

Son Nguyen
 Supervisory Engineer
 Audio Division
 Media Bureau

Facility Id: 73593

Call Sign: WMT

License File Number: BMML-20210819AAG

Grant Date: April 27, 2022

This license expires 3:00 a.m.
 local time, February 01, 2029.

This license modifies license no.: BL-20090429ABI

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
 Local Standard Time (Non-Advanced)

Jan.	7:30 AM	5:00 PM	Jul.	4:45 AM	7:45 PM
Feb.	7:00 AM	5:45 PM	Aug.	5:15 AM	7:15 PM
Mar.	6:15 AM	6:15 PM	Sep.	5:45 AM	6:15 PM
Apr.	5:30 AM	6:45 PM	Oct.	6:15 AM	5:30 PM
May	4:45 AM	7:15 PM	Nov.	7:00 AM	4:45 PM
Jun.	4:30 AM	7:45 PM	Dec.	7:30 AM	4:30 PM

Callsign: WMT

License No.: BMML-20210819AAG

Name of Licensee: IHM LICENSES, LLC

Station Location: CEDAR RAPIDS, IA

Frequency (kHz): 600

Station Class: B

Antenna Coordinates:

Day

Latitude: N 42 Deg 03 Min 40 Sec

Longitude: W 91 Deg 32 Min 42 Sec

Night

Latitude: N 42 Deg 03 Min 40 Sec

Longitude: W 91 Deg 32 Min 42 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 5.0 Night: 5.0

Antenna Input Power (kW): Day: 5.00 Night: 5.4

Antenna Mode: Day: ND Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 10 Night: 10.39

Resistance (ohms): Day: 50 Night: 50

Non-Directional Antenna: Day

Radiator Height: 125.6 meters; 90.5 deg

Theoretical Efficiency: 307.38 mV/m/kw at 1km

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1024391	

Night:

Tower No.	ASRN	Overall Height (m)
1	1024391	
2	1024392	
3	1320134	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Night: 643.74
 Standard RMS (mV/m/km): Night: 676
 Augmented RMS (mV/m/km):
 Q Factor: Night:

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	2.0000	0.000	0.0000	0.000	0	90.5
2	0.7500	140.000	120.0000	100.000	0	90.5
3	1.0500	42.500	167.5000	135.000	0	65.9

* Tower Reference Switch

- 0 = Spacing and orientation from reference tower
- 1 = Spacing and orientation from previous tower

Night Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	0	1
2	128.7	0.374
3	38.4	0.808

Antenna Monitor: POTAMAC INSTRUMENTS AM-1901

Sampling System Approved Under Section 73.68 of the Rules.

Special operating conditions or restrictions:

- 1 The ground system consists of 100, 137.2 meter equally spaced, buried copper wire radials about the base of each tower, plus a 7.3 meter square ground screen at the base of each tower. Radials are shortened and bonded to copper strap where they would overlap between towers.

- 2 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

*** END OF AUTHORIZATION ***