Kathleen A. Kirby 202.719.3360 kkirby@wiley.law

kkirby@wiley.iaw

May 20, 2022



wiley.law

FRN: 0003760352

VIA e-mail: audiofilings@fcc.gov

Marlene H. Dortch, Secretary Federal Communications Commission 45 L Street NE Washington, DC 20554

Re: Salem Communications Holding Corporation

WORL(AM), Orlando, FL (Facility ID 48731)

Request for Extension of Special Temporary Authority ("STA")

Dear Ms. Dortch:

On behalf of Salem Communications Holding Corporation ("SCHC"), licensee of WORL(AM), Orlando, FL, facility ID 48731, this is to request a further extension of the special temporary authority, BSTA-20100622AEQ, granted on July 28, 2010, to operate with an increased nighttime power of 10 kW to overcome interference from co-channel station CMBD, La Habana, Cuba. See attached Engineering Statement for additional information.

The licensee has authorized undersigned counsel to certify on its behalf that the licensee is not subject to denial of Federal benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. § 862.

If you have any questions regarding the foregoing, please contact the undersigned.

Sincerely,

Kathleen A. Kirby

Attachment



STATEMENT OF CYNTHIA M. JACOBSON, P.E.
IN SUPPORT OF A REQUEST FOR EXTENSION OF TIME
FOR A SPECIAL TEMPORARY AUTHORITY
TO OPERATE NIGHTTIME AT INCREASED POWER
TO MITIGATE CUBAN INTERFERENCE
WORL - ORLANDO, FLORIDA
950 kHz - 12 kW Day / 5 kW Night - DA-N
Facility ID: 48731

Applicant: Salem Communications Holding Corporation

I am a Consulting Engineer, an employee in the firm of Carl T. Jones Corporation, with offices located in Springfield, Virginia.

My education and experience are a matter of record with the Federal Communications Commission. I am a Registered Professional Engineer in the Commonwealth of Virginia, Registration No. 027914.

GENERAL

This office has been authorized by Salem Communications Holding Corporation, ("Salem") licensee of Standard Broadcast Station WORL, Orlando, Florida, to prepare this statement setting forth supporting information for an Extension of Time for a Special Temporary Authority, granted July 28, 2010, permitting radio station WORL, Orlando, Florida, to operate with 10 kW during nighttime hours while utilizing the station's licensed nighttime directional antenna system to mitigate Cuban interference.

tel: (703) 569-7704

fax: (703) 569-6417

email: info@ctjc.com

www.ctjc.com

STATEMENT OF CYNTHIA M. JACOBSON, P.E. WORL – ORLANDO, FLORIDA PAGE 2

WORL is experiencing interference from a co-channel Cuban station, CMBD, La Habana, Cuba. The North American Regional Broadcasting Agreement provides for a 950 kHz, 10 kW assignment at Habana, utilizing a nighttime directional antenna system with fields toward any United States station suppressed to no greater than 201.2 mV/m at 1 km (125 mVm at 1 mile). The NARBA data for this station is as follows:

CMBF (old call), 950 kHz, Habana, CU

10 kW DA-U Theo. RMS = 1017.1 mV/m@km

Coordinates 23-04-57, 82-27-41

<u>Field</u>	<u>Phase</u>	<u>Spacing</u>	<u>Orient</u>	<u>Height</u>	<u>Reference</u>
1.00	0	0	0	104	0
1.00	-70	120	155	104	0

This directional antenna pattern meets the NARBA criteria for radiation suppression to 201.0 mV/m at 1 km. It has been verified by observation, (as well as provided in an authoritative publication, the 2016 World Radio TV Handbook), the La Habana facility, call letters CMBD, operates with 10 kW using a <u>non-directional</u> antenna system.

In accordance with the provisions established by the Commission permitting increases in power to offset interference received by unlawful Cuban broadcast facilities, technical personnel at WORL have been observing the received field strength for no less than a five-minute duration periodically since December 15, 2009. Readings are taken

7901 Yarnwood Court Springfield, VA 22153-2899 tel: (703) 569-7704

fax: (703) 569-6417

STATEMENT OF CYNTHIA M. JACOBSON, P.E.

WORL - ORLANDO, FLORIDA

PAGE 3

at the same location, employing the same field meter as specified in the original

engineering exhibit for the STA request. Measurements are included herein for the

October 2021 to May 2022 time period. The results of these observations are attached

in tabular form (see Figure 1) that substantiate the existence of a Cuban broadcast facility

which results in measured field strengths far exceeding those anticipated from the facility

described in NARBA. The measurement values are consistent with previous

measurements.

SUMMARY

It is submitted that both sets of measurements support a continued operation at 10

kW for WORL to enable the station to offset, in part, substantial interference received

from the currently operating Cuban station, CMBD.

This statement was prepared by me and is believed to be true and correct, under

penalty of perjury.

DATED: May 20, 2022

tel: (703) 569-7704 fax: (703) 569-6417

7901 Yarnwood Court Springfield, VA 22153-2899 email: info@ctjc.com

www.ctjc.com

WORL Cuban interference readings (taken weekly):

11.7.21	11:25pm-11:41pm min $0.65 mV/m$ max $1.10 mV/m$ median $1.00 mV/m$ Received WORL $8.4 mV/m$ 60° fair
11.14.21	11:05pm-11:16pm min 0.40mV/m max 0.95mV/m median 0.75mV/m Received WORL 7.9mV/m 55° partly cloudy
11.21.21	11:06pm-11:20pm min $0.55 mV/m$ max $1.05 mV/m$ median $0.80 mV/m$ Received WORL $7.9 mV/m$ 72° cloudy
11.28.21	11:42pm-11:54pm min 0.75 mV/m max 1.20 mV/m median 1.00 mV/m Receiver WORL 8.0 mV/m $- 8.8$ mV/m slow fade 62 ° cloudy
12.5.21	11:06pm-11:20pm min 0.50mV/m $$ max 1.15mV/m median 0.90 mV/m Received WORL $8.0mV/m$ $$ 66° fair
12.12.21	11:09pm-11:22pm min 0.70mV/m max 1.00mV/m median 0.80 mV/m Received WORL 8.2mV/m 67° partly cloudy
12.19.21	11:21pm-11:31pm min 0.55mV/m max 1.20mV/m median 1.10 mV/m Received WORL 8.6mV/m 74° cloudy
12.26.21	11:10pm-11:22pm min 0.70mV/m max 1.15mV/m median 1.0 mV/m Received WORL 8.4 mV/m 66° fair
1.2.22	11:02pm-11:18pm min 0.45mV/m max 1.00mV/m median 0.80mV/m Received WORL $~8.1mV/m~73^{\circ}$ fair
1.9.22	11:28pm-11:39pm min 0.55mV/m max 1.05mV/m median 1.0 mV/m Received WORL 8.4 mV/m 64° partly cloudy
1.16.22	11:03pm-11:16pm min 0.70mV/m max 1.15mV/m median 1.05 mV/m Received WORL 8.4mV/m 60° mostly cloud
1.23.22	11:12pm-11:26pm min 0.50mV/m max 1.15mV/m median 1.00 mV/m Received WORL 8.6 mV/m $$ 41° fair
1.30.22	11:15pm-11:26pm min 0.60 mV/m max 1.25mV/m median 1.10mV/m Received WORL 8.8mV/m 44° fair
2.6.22	11:22pm-11:35pm min $0.55 mV/m$ max $1.00 mV/m$ median $0.80 mV/m$ Received WORL $8.2 mV/m$ 59° cloudy
2.13.22	11:20pm-11:36pm min $0.55 mV/m$ max $1.20 mV/m$ median $1.00 mV/m$ Received WORL $8.4 mV/m$ 58° fair

2.20.22	11:38pm-11:49pm min $0.60 mV/m$ max $1.10 mV/m$ median $0.95 mV/m$ Received WORL $8.3 mV/m$ 63° fair
2.27.22	11:02pm-11:19pm min 0.50mV/m max 1.05mV/m median 0.95mV/m Received WORL $8.2mV/m$ 71° fair
3.6.22	11:11pm-11:23pm min 0.50mV/m max 1.00mV/m median 0.80mV/m Received WORL $~8.0mV/m~69^{\circ}$ fair
3.14.22	12:02am-12:16am min 0.55mV/m max 1.00mV/m median 0.85mV/m Received WORL 8.3mV/m 53° fair
3.20.22	$11:02pm\text{-}11:18pm$ min $0.50mV/m$ max $1.05mV/m$ median $0.80mV/m$ Received WORL $7.9mV/m$ 61° fair
3.27.22	11:08pm-11:20pm min 0.35mV/m max 1.00mV/m median 0.75mV/m Received WORL 7.9mV/m 65° fair
4.3.22	11:16pm-11:29pm min 0.40mV/m max 1.05mV/m median 0.85mV/m Received WORL 7.9mV/m $$ 67° fair
4.10.22	11:15pm-11:28pm min 0.30mV/m max 1.00mV/m median 0.80mV/m Received WORL $8.1mV/m\ 59^{\circ}$ fair
4.17.22	$11:05pm-11:17pm\ min\ 0.30mV/m\ max\ 1.00mV/m\ median\ 0.70mV/m\ Received\ WORL\ 7.9mV/m\ 74^\circ\ mostly\ cloudy$
4.24.22	11:09pm-11:22pm min 0.50mV/m max 1.15mV/m median 0.75mV/m Received WORL $8.0mV/m$ 71° fair
5.1.22	11:48pm-11:59pm min 0.45mV/m max 1.00mV/m median 0.85mV/m Received WORL 8.2mV/m 73° partly cloudy
5.8.22	11:19pm-11:30pm min 0.35mV/m max 1.10mV/m median 0.80mV/m Received WORL 8.0mV/m 73° partly cloudy

^{***}Readings taken at same location and with the same field meter as specified in the original engineering exhibit for the STA request