



FEDERAL COMMUNICATIONS COMMISSION

Authorizing Official:

Audio Services Division

Grant Date: FEB 1 4 1995

This license expires 3:00 am. local time: August 01, 1998

Supervisory Engineer, FM Branch

Arthur E. Doak

Mass Media Bureau

FM BROADCAST STATION LICENSE

Official Mailing Address:

WORLD REVIVALS, INC. 179 CHRISTIANA-STANTON NEWARK, DE 19702

Call sign: WXHL

License File No.: BLED-940718KA

This license covers Permit No.: 911024MG

as extended by Permit No.: BMPED-940215JB

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Name of Licensee:

WORLD REVIVALS, INC.

Station Location:

DE-CHRISTIANA

Frequency (MHz): 89.1

Channel: 206

Class: A

Hours of Operation: Unlimited

Main Studio Address:

DE-179 CHRISTIANA-STANTON ROAD, NEWARK, NEW CASTLE COUNTY

Transmitter location (address or description):

0.55 MILES SOUTHWEST OF THE INTERSECTION OF ROUTE 7 AND 195, CHRISTIANA, NEW CASTLE COUNTY, DELAWARE.

Remote control point address:

DE-179 CHRISTIANA-STANTON ROAD, NEWARK, NEW CASTLE COUNTY

Transmitter: Type accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power (kW): .295

Antenna type: (directional or non-directional): Directional

Desc: (H) Shively 6602-1, one section, omni-directional

(v) Aldena ASR-0203, 2 sections, 0.9 wvlgth, directional

Antenna coordinates: North Latitude: 39 40 38.0 West Longitude: 75 39 47.0

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the horizontal plane (kW)	.: 0.001	1.2
Height of radiation center above ground (meters)	38.0	38.0

Height of radiation center above mean sea level (meters) 50.0 50.0

Height of radiation center above average terrain (meters) ...: 20.0 20.0

Overall height of antenna structure above ground (including obstruction lighting, if any) 40.0 meters

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

Special operating conditions or restrictions:

1. The permittee/licensee must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency radiation in excess of FCC guidelines.

The relative field strength of neither the measured horizontally nor vertically polarized radiation component shall exceed at any azimuth the value indicated on the composite radiation pattern authorized by construction permit BPED-911024MG.

A relative field strength of 1.0 on the composite radiation pattern herein authorized corresponds to the following effective radiated power:

1.2 kilowatts

Principal minima and their associated field strength limits:

100 degrees True: 0.25 kilowatts
200 degrees True: 0.16 kilowatts
230 degrees True: 0.16 kilowatts
250-255 degrees True: 0.205 kilowatts

340 degrees True: 0.38 kilowatts