

**FEDERAL COMMUNICATIONS COMMISSION**  
**445 TWELFTH STREET SW**  
**WASHINGTON DC 20554**

**MEDIA BUREAU**  
**AUDIO DIVISION**  
**APPLICATION STATUS:** (202) 418-2730  
**HOME PAGE:** [www.fcc.gov/mb/audio/](http://www.fcc.gov/mb/audio/)

**ENGINEER:** CHARLES N. (NORM) MILLER  
**TELEPHONE:** (202) 418-2767  
**FACSIMILE:** (202) 418-1410  
**E-MAIL:** [charles.miller@fcc.gov](mailto:charles.miller@fcc.gov)

February 12, 2010

John Crigler, Esq.  
Garvey Schubert Barer  
1000 Potomac Street NW, Fifth Floor  
Washington, DC 20007

Re: KQHR(FM), The Dalles, Oregon  
Facility Identification Number: 175508  
All Classical Public Media, Inc.  
Special Temporary Authority  
Hybrid IBOC Digital Operation

Dear Counsel:

This is in reference to your letter dated February 5, 2010, filed on behalf of All Classical Public Media, Inc. ("ACPM"). ACPM requests special temporary authority ("STA") to operate Station KQHR with increased digital effective radiated power ("ERP"), pursuant to the Media Bureau's January 25, 2010, *Order* in MM Docket No. 99-325 ("*Order*").

Our review indicates that the notification requirements of the *Order* have been satisfied, and that the proposed operation complies with the requirements of the *Order*.

Accordingly, the request for STA IS HEREBY GRANTED. Station KQHR may operate with increased digital ERP, as follows:

Analog ERP 3 kW (H&V)  
Digital ERP 0.12 kW (H&V)

Transmitter Power Output ("TPO") shall be maintained within 90% and 105% of the following<sup>1</sup>:

Analog TPO: 1.1 kW  
Digital TPO: 0.044 kW  
Combined TPO: 1.144 kW

ACPM must use whatever means are necessary to protect workers and the public from exposure

---

<sup>1</sup> See 47 CFR Section 73.1560(a).

to radio frequency radiation in excess of the Commission's exposure guidelines; *See* 47 CFR § 1.1310. It may be necessary to reduce the power of the digital signal or cease hybrid operation if interference complaints are received. Pursuant to 47 CFR Section 73.1635(b), this authority may be modified or cancelled by the Commission without notice or right to hearing. ACPM must post a copy of this authority with the station license.

This authority expires on **August 12, 2010**.

Sincerely,

A handwritten signature in blue ink, appearing to read "Charles N. Miller", with a stylized flourish at the end.

Charles N. Miller, Engineer  
Audio Division  
Media Bureau

cc: All Classical Public Media, Inc.