

FEDERAL COMMUNICATIONS COMMISSION
445 TWELFTH STREET SW
WASHINGTON DC 20554

MEDIA BUREAU
AUDIO DIVISION
APPLICATION STATUS: (202) 418-2730
HOME PAGE: www.fcc.gov/mb/audio/

ENGINEER: CHARLES N. (NORM) MILLER
TELEPHONE: (202) 418-2767
FACSIMILE: (202) 418-1410
E-MAIL: charles.miller@fcc.gov

March 8, 2012

Barry S. Persh, Esq.
Dow Lohnes PLLC
1200 New Hampshire Avenue NW, Suite 800
Washington, DC 20036-6802

Re: The University of Iowa
KSUI(FM), Iowa City, Iowa
Facility Identification Number: 66626
Special Temporary Authority

Dear Counsel:

This is in reference to the request filed January 6, 2012, on behalf of The University of Iowa ("UI"). UI requests extension of the special temporary authority ("STA") granted on November 3, 2011, to operate Station KSUI with reduced power.¹ In support of the request, UI states that it is unable to make repairs to its transmission line due to unsafe winter conditions at its transmitter site.

Requests for extension of STA will be granted only where the licensee can show that one or more of the following criteria have been met:

- Restoration of licensed facilities is complete and testing is underway;
- Substantial progress has been made during the most recent STA period toward restoration of licensed operation; or
- No progress has been made during the most recent STA period for reasons clearly beyond the licensee's control, and the licensee has taken all possible steps to expeditiously resolve the problem.

Our review indicates that the licensee has been prevented from restoring licensed operation due to causes beyond its control and has taken all possible steps to expeditiously resolve the problem. Thus, extension of STA is warranted.

Accordingly, the request for extension of STA IS HEREBY GRANTED. Station KSUI may continue to operate with reduced power. UI must notify the Commission when licensed

¹ KSUI is licensed for operation on Channel 219C (91.7 MHz) with effective radiated power of 100 kilowatts (H&V) and antenna height above average terrain of 394 meters.

operation is restored. UI must use whatever means are necessary to protect workers and the public from exposure to radio frequency radiation in excess of the Commission's exposure guidelines. *See* 47 CFR § 1.1310.

This authority expires on **September 8, 2012**.

Sincerely,

A handwritten signature in blue ink, appearing to read "Charles N. Miller". The signature is fluid and cursive, with the first name "Charles" being the most prominent.

Charles N. Miller, Engineer
Audio Division
Media Bureau

cc: The University of Iowa