


DAVID TILLOTSON
Attorney at Law

4606 Charleston Terrace, N.W.
Washington, DC 20007-1911

Tel: (202) 625-6241
Fax: (202) 965-2018
Email dtlaw@starpower.net



February 9, 2006

Marlene H. Dortch, Secretary
Federal Communications Commission
The Portals, 445 Twelfth Street, S.W.
TW-A325
Washington, D.C. 20554

Re: WKLZ, Facility ID 20452 and WQSN Facility ID 87325

Dear Ms. Dortch:

Pursuant to the condition attached to the license for Station WQSN, Facility ID 87325, Kalamazoo, Michigan, that on the fifth anniversary of the grant of WQSN's license Fairfield Broadcasting Company ("FBC") would need to either turn in for cancellation its license for WQSN or its license for Station WKLZ, Facility ID 20452, Kalamazoo, Michigan, FBC has elected to turn in its license for WKLZ.

Submitted herewith for cancellation on February 20, 2006, the fifth anniversary of the grant of the license for WQSN are the following licenses associated with WKLZ:

BZ-981014AD
BL-910215AC
BPLST-860530MA

Unless a request that has been informally submitted to the Chief, Audio Services Division, Media Bureau for authority for WKLZ to operate for 90 days after February 20, 2006, is granted before that date, WKLZ will permanently discontinue operations as of 12:01 a.m. on February 20, 2006.

If you have any questions concerning this matter, please call me.

Sincerely,

A handwritten signature in cursive script that reads "David Tillotson".

David Tillotson

Enclosures (Licenses)

2006 FEB 10 P 2:16

Audio Services Division



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

Official Mailing Address:

FAIRFIELD BROADCASTING COMPANY
4200 WEST MAIN
KALAMAZOO, MI 49006

Facility ID: 20452

Call Sign: WKLZ
License File No.: BZ-981014AD

Direct Measurement of Power

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
Local Standard Time (Non-Advanced)

Jan.	8:15 a.m.	5:30 p.m.	Jul.	5:15 a.m.	8:15 p.m.
Feb.	7:45 a.m.	6:15 p.m.	Aug.	5:45 a.m.	7:45 p.m.
Mar.	7:00 a.m.	6:45 p.m.	Sep.	6:15 a.m.	7:00 p.m.
Apr.	6:00 a.m.	7:30 p.m.	Oct.	7:00 a.m.	6:00 p.m.
May	5:15 a.m.	8:00 p.m.	Nov.	7:30 a.m.	5:15 p.m.
Jun.	5:00 a.m.	8:15 p.m.	Dec.	8:00 a.m.	5:15 p.m.

Licensee: FAIRFIELD BROADCASTING COMPANY

Authorizing Official

Son Nguyen

Son Nguyen
Supervisory Engineer
Audio Services Division
Mass Media Bureau

Grant Date:

JUL 29 1999

This license expires 3:00 a.m.
Local time, October 1, 2004

Station Location: KALAMAZOO, MI

Frequency (kHz): 1470

Station Class: B

Transmitter Location:

MI - 5600 Lovers Lane, Kalamazoo County, Portage

Latitude: N 42° 14' 11"

Longitude: W 85° 34' 37"

Main Studio Location: (See Section 73.1125)

MI - 4200 West Main Street, Kalamazoo County, Kalamazoo

Nominal Power (kW): Day: 0.80 Night: 1.0

Antenna Input Power (kW): Day: 0.80 Night: 1.080

Antenna Mode: Day: ND Night: DA

(DA=Directional Antenna; ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 3.18 Night: 4.65

Resistance (ohms): Day: 79.00 Night: 50.00

Antenna Description:

Non-Directional Antenna: (DAYTIME)

Radiator Height: 54.9 meters; 96.8°

Theoretical Efficiency: 310.60 mV/m/kW at 1 km

Three vertical, guyed, series-excited steel radiators of uniform cross section consisting of towers #1(SE), #2(C), and #3(NW). The daytime non-directional antenna system utilizes tower #2(C), which is also used by co-located WQSN, 1660 kHz

Ground System Description:

120 equally spaced, buried, copper radials about the base of each tower, each 51 meters in length except where terminated by property boundaries or where intersecting radials are shortened and bonded to a transverse copper strap midway between adjacent towers.

Antenna Registration Number(s):

Daytime:

Twr No.	ASRN
1	1031682

Nighttime:

Twr No.	ASRN
1	1031683
2	1031682
3	1031681

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m @ 1km): Night: 335.93

Standard RMS (mV/m @ 1km): Night: 352.93

Q Factor: Night: 11.51

Theoretical Parameters:

Nighttime Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref. Switch *	Height (Deg.)
1	1.0000	0.000	0.000	0.000	0	96.8
2	1.5000	217.000	90.000	337.000	0	96.8
3	0.9500	90.000	180.000	337.000	0	96.8

* Tower Reference Switch:
 0 = Spacing and orientation from reference tower
 1 = Spacing and orientation from previous tower

Operating Parameters:

Nighttime Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio	Antenna Base Current Ratio
1	134.00	0.800	0.778
2	0.00	1.000	1.000
3	-133.50	0.555	0.578

Callsign: WKLZ

License No.: BZ - 981014AD

Antenna Monitor: Potomac Instruments AM-19 (204)

Sampling System Approved Under Section 73.68(b) of the Rules.

Monitoring Points:

Nighttime Operation:

Radial (Deg. T)	Distance From Transmitter (kM)	Maximum Field Strength (mV/m)
70.0	5.60	4.75
138.0	3.09	5.81
176.0	2.67	11.30
244.0	2.54	8.04

Special Operating Conditions or Restrictions:

None Required

*** END OF AUTHORIZATION ***

UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

File No. : **BL-910215AC**

Call Sign : **WQSN**

LICENSEE:

Fairfield Broadcasting Company, Inc.

(WKLZ)

1. Community of License: **Kalamazoo, Michigan**

2. Transmitter location: **South of Interstate 94 at
Portage Creek, West of
Lovers Lane, Portage, MI.**

North latitude: **42 ° 14 ' 11 "**

West longitude: **85 ° 34 ' 37 "**

6. Antenna and ground system: **Attached**

3. Transmitter(s): Type Accepted. (See Sections 73.1660,
73.1665 and 73.1670 of the Commission's rules)

4. Main Studio location: (See Section 73.1125)

5. Remote control location:

**4200 West main Street
Kalamazoo, MI**

7. Obstruction marking and lighting specifications - FCC Form 715, paragraphs: **None Required**

8. Frequency: **1470** kHz

9. Nominal power (kW): **0.8** Day **1.0** Night

Antenna input power (kW):

0.8 Day



Non-directional antenna:



Directional antenna : current **2.95** amperes; resistance **92.0** ohms.

1.0 Night



Non-directional antenna:



Directional antenna : current **4.65** amperes; resistance **50.0** ohms.

10. Hours of operation: Specified in **BP-870413AD**

11. Conditions: **Attached**

Subject to the provisions of the Communications Act of 1934, as amended, subsequent Acts, Treaties, and Commission rules made thereunder, and further subject to conditions set forth in this license, the LICENSEE is hereby authorized to use and operate the radio transmitting apparatus herein described for the purpose of broadcasting for the term ending 3 A.M. Local Time

October 1, 1996

The Commission reserves the right during said license period of terminating this license, or making effective any change, or modification of this license which may be necessary to comply with any decision of the Commission rendered as a result of any hearing held under the rules of the Commission prior to the commencement of this license period or any decision rendered as a result of any such hearing which has been designated but not held, prior to the commencement of this license period.

The license is issued on the licensee's representation that the statements contained in the licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934, as amended.



File NO. BL-910215AC

Call Sign: WQSN

Date:

DA-N

1. DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

No. and Type of Elements: Three (3), guyed, series-excited, steel radiators of uniform cross section. Theoretical RMS 335.93 mV/m/km. Standard RMS: 352.93 mV/m/km. Q factor: 11.5.

Height above Insulators: 54.86 m. (96.8°)

Overall Height: 55.78 m.

Spacing and Orientation: Towers are spaced 90° apart on a line bearing 337° True.

Non-Directional Antenna: Tower #2(c) is used daytime. Theoretical efficiency is 310.6 mV/m/kw at one km.

Ground System consists of 120 buried copper radials 51 meters extending to the property intersection with transverse copper strap.

2. THEORETICAL SPECIFICATIONS

Phasing:	Tower	#1(SE)	#2(C)	#3(NW)
	Night	0°	217°	90°

FIELD RATIO:	Night	1.0	1.5	0.95
---------------------	--------------	-----	-----	------

3. OPERATING SPECIFICATIONS

Phase Indication*:

Night:	135°	0°	-136.5°
---------------	------	----	---------

Antenna Base

Current Ratio:	Night:	0.868	1.00	0.595
-----------------------	---------------	-------	------	-------

Antenna Monitor Sample

Current Ratio:	Night:	0.90	1.00	0.575
-----------------------	---------------	------	------	-------

* As indicated by Potomac Instruments AM-19(204) Antenna Monitor.

ANTENNA SAMPLING SYSTEM APPROVED UNDER SECTION 73.68(b) OF THE RULES.

DESCRIPTION OF AND FIELD INTENSITY AT MONITORING POINTS:

Direction of 70 degree true North. Proceed from the transmitter drive and turn North on Lovers Lane, go 0.7 mile to Kilgore Road. Turn right and proceed East on Kilgore Road, 3.3 miles to 26th Street. Turn left and proceed 0.6 mile North to point. This point is on the East side of the road. This point is 5.6 kilometers from the transmitter. This is point #20 on the radial. The photograph is taken looking Southeast. The field intensity measured at this point should not exceed 4.0 mV/m.

Direction of 138 degree true North. Proceed from the transmitter drive and turn right, go South on Lovers Lane, 1.0 mile to Ramona Avenue. Turn left and proceed East, 0.75 mile to Portage Road. Turn right and proceed South, 0.35 mile to Bishop Avenue. Turn left and proceed East, 0.4 mile to point. This point is on the North side of the road, across from the pump station at Upjohn Company. This point is 3.09 kilometers from the transmitter. This is point #21 on the radial. The photograph is taken looking South. The field intensity measured at this point should not exceed 4.5 mV/m.

Direction of 176 degree true North. Proceed from the transmitter drive and turn right. Proceed South on Lovers Lane, 1.6 miles to the monitor point. The monitor point is at the entrance to Oakbrook Estate. This point is 2.67 kilometers from the transmitter. This is point #19 on the radial. The photograph is taken looking Southwest. The field intensity measured at this point should not exceed 11.3 mV/m.

Direction of 244 degree true North. Proceed from the transmitter drive and turn right. Proceed South on Lovers Lane, 0.38 mile to Milham Road. Turn right and proceed West 1.55 mile to the stop light at Devon Street. Turn left and proceed South, 0.22 mile to the point. This point is between the tree and the hydrant at 1326 Devon Street. This point is 2.56 kilometers from the transmitter. This is point #15 on the radial. The photograph is taken looking Southwest. The field intensity measured at this point should not exceed 7.0 mV/m.

FEDERAL COMMUNICATIONS COMMISSION
RADIO BROADCAST STATION LICENSE

SERVICE: AUXILIARY BROADCAST
CLASS: AURAL STL

CALL SIGN: WLG-453
FILE NO: EPLST-860530MA DT
ASSOCIATED BROADCAST STATION: WQSN(AM)

LICENSEE NAME: FAIRFIELD BROADCASTING COMPANY INC

HOURS OF OPERATION - UNLIMITED

TRANSMITTER LOCATION: 4200 WEST MAIN ST
CITY: KALAMAZOO ST: MI CNTY:

LATITUDE: 42 17 48 N
LONGITUDE: 085 33 23 W

MOBILE AREA OF OPERATION:

ANTENNA SYSTEM

GROUND: 940 FT AMSL
OVERALL HEIGHT: 170 FT AG
ANTENNA CENTER OF RADIATION: 130 FT AG
AZIMUTH: 93.000 ° TRUE

SEND TO
FAIRFIELD BROADCASTING COMPANY INC
4200 W MAIN STREET
KALAMAZOO MI 49007

PAINTING/LIGHTING SPECS: NONE

FREQUENCY (IES) (MHZ)	EMISSION	MOBILE RANGE	POWER (WATTS)	TRANSMITTER APPARATUS
947.6250 947.3750	250F9	MARTI	10.000	STL 10
				10.000 W

SPECIAL CONDITIONS:

Subject to the provisions of the Communications Act of 1934, as amended, treaties, and Commission Rules, and further subject to conditions set forth in this permit, authority is hereby granted to construct a radio broadcast station located and described as above.

Equipment and program tests shall be conducted only pursuant to Sections 74.13 and 74.14 of the Commission Rules.

This permit shall be forfeited if the station is not ready for operation within the time specified or within such further time as the Commission may allow unless completion of the station is prevented by causes not under the control of the permittee. See Section 1.599 of the Commission Rules.

THIS AUTHORIZATION EFFECTIVE: 08/11/86 AND WILL EXPIRE AT 3:00 A.M. EST 10/01/89 K

