



Federal Communications Commission
Washington, D.C. 20554

May 12, 2015

1800E1-MHH

NBC Telemundo License LLC
300 New Jersey Avenue, NW
Suite 700
Washington DC 20001

Re: WNJU-TV
BDSTA-20150424ABH
Lubbock, Linden, NJ
Fac Id: 73333

Dear Licensee:

This is in response to your request dated April 24, 2015, for special temporary authority (STA) to operate the formerly licensed main WNJU's facility (License File Number BLCDT-20080514ADL) as an auxiliary facility to WNJU's main transmission site at the Empire State building. You indicate that this STA is required to allow WNJU to use the previously licensed West Orange site when the station is required to cease operation at the Empire as required to protect workers from excessive RF exposure during overnight maintenance and repair work.

After a thorough review of your technical specifications, we are persuaded that no interference is likely to occur from the proposed operation. If problems do arise, we expect them to be solved expeditiously and the Bureau reserves the right to require termination of the operation. We therefore conclude that the public interest would be served by the grant of this request.

With respect to radio frequency radiation (RFR), we expect compliance with Section 1.1307(b) of the Commission's Rules to be achieved.

Accordingly, the request for special temporary authority IS GRANTED subject to the technical parameters and conditions specified below.

Technical Parameters:

Channel: 36

Antenna Coordinates: N. Latitude: 40-48-08
W. Longitude: 74-14-48

Antenna Type: DIE, Directional
Model No. TUD-C5SP-10/34U-2-B

Maximum Effective Radiated Power: 650 kW

Radiation Center Above Mean Sea Level: 287.5 meters

Radiation Center Above Ground Level: 98.5 meters

HAAT: 223.4 meters

Tower Registration Number: 1060205

Special Conditions:


1. The grant of this construction permit is subject to the condition that, with ample time before commencing operation, you make a good faith effort to identify and notify health care facilities (e.g., hospitals, nursing homes, see 47 CFR 15.242(a)(1)) within your service area potentially affected by your DTV operations. Contact with state and/or local hospital associations and local governmental health care licensing authorities may prove helpful in this process. During this pre-broadcast period, you must provide all notified entities with relevant technical details of your operation, such as DTV channel, targeted on-air date, effective radiated power, antenna location, and antenna height. You are required to place in the station's public inspection file documentation of the notifications and contacts made and you may not commence operations until good faith efforts have been made to notify affected health care facilities. During this pre-broadcast period and for up to twenty (20) days after commencing operations, should you become aware of any instances of medical devices malfunctioning or that such devices are likely to malfunction due to your DTV operations, you must cooperate with the health care facility so that it is afforded a reasonable opportunity to resolve the interference problem. At such time as all provisions of this condition have been fulfilled, and either upon the expiration of twenty (20) days following commencement of operations or when all known interference problems have been resolved, whichever is later, this condition lapses.

2. The facility authorized herein must comply with the FCC's increased DTV coverage requirements by the date specified in Section 73.625(a)

3. This authority expires on November 12, 2015. If appropriate, a timely renewal request must be filed before the end of this period.

4. Hours of operation of this facility will be in accordance with Section 73.624(b) of the Commission's Rules

Sincerely,



Kevin R. Harding
Associate Chief
Video Division
Media Bureau

cc: Margaret L. Tobey