11/22/16 amult

Federal Communications Commission Washington, D.C. 20554	Approved by OMB 3060-0027 (July 2011)	FOR FCC USE ONLY
FCC 301	·	
APPLICATION FOR CONSTRUCTI COMMERCIAL BROADCAS	T STATION	for commission use only file no. BP - 20160818AAE
Read INSTRUCTIONS Before Filling	ng Out Form	

Se	ction I - General Information		
1.	Legal Name of the Applicant SALT OF THE EARTH BROADCASTING, INC.		
	Mailing Address 4638 DECKER DRIVE		
	City BAYTOWN	State or Country (if foreign address) TX	ZIP Code 77520 -
	Telephone Number (include area code) 2818377750	E-Mail Address (if available)	
	FCC Registration Number: Call Sign KWWJ	Facility ID Number 58724	
2.	Contact Representative (if other than Applicant) BARRY A. FRIEDMAN	Firm or Company Name THOMPSON HINE LLP	
	Mailing Address SUITE 700 1919 M STREET, N.W.		
	City WASHINGTON	State or Country (if foreign address) DC	ZIP Code 20036 -
	Telephone Number (include area code) 2023318800	E-Mail Address (if available) BARRRY.FRIEDMAN@THOMPSO	NHINE.COM
3.	If this application has been submitted without a fee, indicate	e reason for fee exemption (see 47 C.F.R.	Section 1.1114):
	Governmental Entity • Other AMENDMENT		
	N/A (Fee Required)		
4.	Application Purpose		
	C New station	C New Station with Petition for Rule Counterproposal to Amend FM Table	making or of Allotments
	C Major Modification of construction permit	C Major Change in licensed facility	
	O Minor Modification of construction permit	O Minor Change in licensed facility	
	C Major Amendment to pending application	• Minor Amendment to pending appl	ication
	(a) File number of original construction permit:	BP-20160818AAE □ NA	ı
	(b) Service Type:	⊙ _{AM} C _{FM}	
The second secon	(c) Community of License: City: BAYTOWN (d)Facility Type	State: TX • Main • Auxiliary	
	If an amendment, submit as an Exhibit a listing by Section and Question Number the portions of the pending application that are being revised.	[Exhibit 1]	

NOTE: In addition to the information called for in this section, an explanatory exhibit providing full particulars must be submitted for each question for which a "No" response is provided.

Section II - Legal

1.	on wł rej	ertification. Applicant certifies that it has answered each question in this application based its review of the application instructions and worksheets. Applicant further certifies that here it has made an affirmative certification below, this certification constitutes its presentation that the application satisfies each of the pertinent standards and criteria set forth the application instructions and worksheets.	€ Yes C No
2.	a. :	List the applicant, and, if other than a natural person, its officers, directors, stockholders with non-insulated partners and/or members. If a corporation or partnership holds an attributable is separately its officers, directors, stockholders with attributable interests, non-insulated partners a separate row for each individual or entity. Attach additional pages if necessary. (1) Name and address of the applicant and each party to the application holding an attributable interest (if other than individual also show name, address and citizenship of natural person authorized to vote the stock or holding the attributable interest). List the applicant first, officers next, then directors and, thereafter, remaining stockholders and other entities with attributable interests, and partners. (2) Citizenship. (3) Positional Interest: Commission's equity investor/creditor attributable interest; Commission's equity Percentage of votes. (4) Percentage of total attributable interests investor/creditor attributable interests. Information]	onterest in the applicant, list ers and/or members. Create officer, director, general her, LLC member, ibutable under the r/debt plus standard, etc.
	ı	Applicant certifies that equity and financial interests not set forth above are non-attributable.	C Yes C No C N/A See Explanation in [Exhibit 2]
		her Authorizations. List call signs, locations, and facility identifiers of all other broadcast tions in which applicant or any party to the application has an attributable interest.	□ N/A [Exhibit 3]
4.	Μι	ultiple Ownership.	
	a.	Is the applicant or any party to the application the holder of an attributable radio joint sales agreement or an attributable radio or television time brokerage agreement in the same market as the station subject to this application?	C Yes [®] No
		If "YES," radio applicants must submit as an Exhibit a copy of each such agreement for radio stations.	[Exhibit 4]
	b.	Applicant certifies that the proposed facility complies with the Commission's multiple ownership rules and cross-ownership rules.	€ Yes C No
	The state of the s	Radio applicants only: If "Yes," submit an Exhibit providing information regarding the market, broadcast station(s), and other information necessary to demonstrate compliance with 47 C.F.R. § 73.3555(a).	[Exhibit 5]
		All Applicants: If "No," submit as an Exhibit a detailed explanation in support of an exemption from, or waiver of, 47 C.F.R. § 73.3555.	

c	Applicant certifies that the proposed facility:	• Yes C No
	(1) does not present an issue under the Commission's policies relating to media interests of immediate family members;	See Explanation in [Exhibit 6]
	(2) complies with the Commission's policies relating to future ownership interests; and	[DAIROR 0]
	(3) complies with the Commission's restrictions relating to the insulation and non-participation of non-party investors and creditors.	
d	Does the Applicant claim status as an "eligible entity," that is, an entity that qualifies as a small business under the Small Business Administration's size standards for its industry grouping (as set forth in 13 C.F.R. § 121-201), and holds: (1) 30 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet; or (2) 15 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet, provided that no other person or entity owns or controls more than 25 percent of the outstanding stock or partnership interests; or (3) more than 50 percent of the voting power of the corporation that will own the media outlet (if such corporation is a publicly traded company)? All applicants: If "Yes," submit as an Exhibit a detailed showing demonstrating proof of status as an eligible entity.	C Yes No See Explanation in [Exhibit 7]
or	naracter Issues. Applicant certifies that neither applicant nor any party to the application has had any interest in or connection with:	C Yes C No
	any broadcast app [†] ication in any proceeding where character issues were left unresolved or were resolved adversely against the applicant or party to the application; or	See Explanation in [Exhibit 8]
سنطاعت	any pending broadcast application in which character issues have been raised.	
ap any of	lverse Findings. Applicant certifies that, with respect to the applicant and any party to the plication, no adverse finding has been made, nor has an adverse final action been taken by court or administrative body in a civil or criminal proceeding brought under the provisions any law related to any of the following: any felony; mass media-related antitrust or unfair mpetition; fraudulent statements to another government unit; or discrimination.	C Yes C No See Explanation in [Exhibit 9]
Se	ien Ownership and Control. Applicant certifies that it complies with the provisions of ction 310 of the Communications Act of 1934, as amended, relating to interests of aliens and	⊙ Yes C No
for	eign governments.	See Explanation in [Exhibit 10]
its	ogram Service Certification. Applicant certifies that it is cognizant of and will comply with obligations as a commission licensee to present a program service responsive to the issues public concern facing the station's community of license and service area.	C Yes C No
	cal Public Notice. Applicant certifies that it has or will comply with the public notice purements of 47 C.F.R. Section 73.3580.	O Yes O No
wh to 4	ection Authorization. If the application is being submitted to obtain a construction permit for ich the applicant was the winning bidder in an auction, then the applicant certifies, pursuant 47 C.F.R. Section 73.5005(a), that it has attached an exhibit containing the information uired by 47 C.F.F. Sections 1.2107(d), 1.2110(i), 1.2112(a) and 1.2112(b), if applicable.	C Yes C No
An	exhibit is required unless this question is inapplicable.	
the	ti-Drug Abuse Act Certification. Applicant certifies that neither applicant nor any party to application is subject to denial of federal benefits pursuant to Section 5301 of the ti-Drug Abuse Act of 1988, 21 U.S.C. Section 862.	⊙ Yes C No
full	ual Employment Opportunity (EEO). If the applicant proposes to employ five or more l-time employees, applicant certifies that it is filing simultaneously with this application a odel EEO Program Report on FCC Form 396-A.	C _{Yes} C _{No} € _{N/A}

Petition for Rulemaking/Counterproposal to Add New FM Channel to FM Table of Allotments. If the application is being submitted concurrently with a Petition for Rulemaking or Counterproposal to Amend the FM Table of Allotments (47 C.F.R. section 73.202) to add a new FM channel allotment, petitioner/counter-proponent certifies that, if the FM channel allotment requested is allotted, petitioner/counter-proponent will apply to participate in the auction of the channel allotment requested and specified in this application.	C _{Yes} C _{No} ⓒ _N /A
Tribal Priority - Threshold Qualifications. Is the Applicant applying for an FM allotment set forth in a Public Notice announcing a Tribal Threshold Qualifications window? An Applicant answering "Yes" must provide an Exhibit demonstrating that it would have been qualified to add the allotment for which it is applying using the Tribal Priority.	C Yes C No

I certify that the statements in this application are true, complete, and correct to the best of my knowledge and belief, and are made in good faith. I acknowledge that all certifications and attached Exhibits are considered material representations. I hereby waive any claim to the use of any particular frequency as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and request an authorization in accordance with this application. (See Section 304 of the Communications Act of 1934, as amended.)

NT
6
6

WILLFUL FALSE STATEMENTS ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. CODE, TITLE 47, SECTION 312(a)(1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).

SI	ECTION III-A - AM Engineering
TI	ECHNICAL SPECIFICATIONS
	sure that the specifications below are accurate. Contradicting data found elsewhere in this application will be disregarded.
	l items must be compleied. The response "on file" is not acceptable.
-	ECH BOX
	Frequency: 1360 kHz
2.	Class (select one):
	CACBCCDD Secret 4
3.	Hours of Operation:
	© Unlimited C Limited C Daytime C Share Time C Specified Hours:
4.	Daytime: © Yes C No
	[Daytime Operation]
	4. Daytime Operation
	a. Power: 5 kW
	b. Antenna Location Coordinates: (NAD 27)
	Latitude:
	Degrees 29 Minutes 46 Seconds 29 North South
	Longitude:
	Degrees 95 Minutes) Seconds 55 © West C East

c. and d.		
Complete the appropriate following items. If addition information requested below in an Exhibit. C Nondirectional C Directional	nal space is needed, please provide the [Exhi	ibit 24]
	7/m per kW at 1 km (Nondirectional) 7/m at 1 km (Directional)	
Standard RMS: 767.3 mV	/m at 1 km (Directional Only)	
[Nondirectional Tower Subform]		
or		
[Directional Towers Subform]		
4d.]	Directional Towers:	
Tower Number	1	
Overall height above ground (include obstruction lighting) (meters)	66.4	
Antenna structure registration	Number: 1064960 Notification filed with FAA Not Applicable	
Is this tower:	C (a) Top-loaded C (b) Sectionalized C (c) Neither	
Height of radiator above base, base insulator, or above base, if grounded (meters)	64	
Electrical height of radiator	104.5	
Field ratio	1	
Phase (degrees)	0	
Spacing (degrees)	0	
Tower orientation (degrees CW from True North)	0	
Tower reference switch	0	
Top-Loaded/Sectionalized apparent height (degrees)		
A		
В		
C		

Tower Number Overall height above ground (include obstruction lighting) (meters) Antenna structure registration Is this tower: Height of radiator above base insulator, or above base, if grounded (meters) Electrical height of radiator Field ratio Phase (degrees) Spacing (degrees) Tower orientation (degrees CW from True North) Tower reference switch Top-Loaded/Sectionalized apparent height (degrees) A B C D Tower Number	2 66.7 Number: 1064961 Notification filed with FAA Not Applicable (a) Top-loaded (b) Sectionalized (c) Neither 64 104.5 1.08 166.5 54 131 0
(include obstruction lighting) (meters) Antenna structure registration Is this tower: Height of radiator above base insulator, or above base, if grounded (meters) Electrical height of radiator Field ratio Phase (degrees) Spacing (degrees) Tower orientation (degrees CW from True North) Tower reference switch Top-Loaded/Sectionalized apparent height (degrees) A B C	Number: 1064961 Notification filed with FAA Not Applicable (a) Top-loaded (b) Sectionalized (c) Neither 64 104.5 1.08 166.5 54
Height of radiator above base insulator, or above base insulator, or above base, if grounded (meters) Electrical height of radiator Field ratio Phase (degrees) Spacing (degrees) Tower orientation (degrees CW from True North) Tower reference switch Top-Loaded/Section slized apparent height (degrees) A B C	Notification filed with FAA Not Applicable C (a) Top-loaded C (b) Sectionalized C (c) Neither 64 104.5 1.08 166.5 54 131
Height of radiator above base insulator, or above base, if grounded (meters) Electrical height of radiator Field ratio Phase (degrees) Spacing (degrees) Tower orientation (degrees CW from True North) Tower reference switch Top-Loaded/Section alized apparent height (degrees) A B C	C (b) Sectionalized (c) Neither 64 104.5 1.08 166.5 54 131
base insulator, or above base, if grounded (meters) Electrical height of radiator Field ratio Phase (degrees) Spacing (degrees) Tower orientation (degrees CW from True North) Tower reference switch Top-Loaded/Sectionalized apparent height (degrees) A B C	104.5 1.08 166.5 54 131
Field ratio Phase (degrees) Spacing (degrees) Tower orientation (degrees CW from True North) Tower reference switch Top-Loaded/Sectionalized apparent height (degrees) A B C	1.08 166.5 54 131
Phase (degrees) Spacing (degrees) Tower orientation (degrees CW from True North) Tower reference switch Top-Loaded/Sectionalized apparent height (degrees) A B C	166.5 54 131
Spacing (degrees) Tower orientation (degrees CW from True North) Tower reference switch Top-Loaded/Section alized apparent height (degrees) A B C	54 131 ·
Tower orientation (degrees CW from True North) Tower reference switch Top-Loaded/Sectionalized apparent height (degrees) A B C	131
Tower reference switch Top-Loaded/Sectionalized apparent height (degrees) A B C	
Top-Loaded/Section alized apparent height (degrees) A B C	0
A B C D	
B C D	
, C D	
D	
Tower Number	
	3
Overall height above ground (include obstruction lighting) (meters)	66.7
Antenna structure registration	Number: 1290578 Notification filed with FAA Not Applicable
s this tower:	C (a) Top-loaded C (b) Sectionalized C (c) Neither
Height of radiator above hase, base insulator, or above base, f grounded (meters)	64
Electrical height of radiator	

Field ratio	0.35	
Phase (degrees)	-40	Tomogram or any an annual confidence of the conf
Spacing (degrees)	136	
Tower orientation (degrees CW from True North)	123	
Tower reference switch	0	
Top-Loaded/Sectionalized apparent height (degrees)		
A		
В		
. C		
D		
Augmented: ○ Yes ○ No If "yes," complete the following: Augmented RMS: mV/m at 1 km [Augmentations Subform]		
Nighttime: • Yes No [Nighttime Operation]		
5. Nightt	time Operation	
a. Power: 0.8 kW		
b. Antenna Location Coordinates: (NAD 27)		
Latitude: Degrees 29 Minutes 46 Seconds 29 North C South		
Longitude: Degrees 95 Minutes 0 Seconds 55		
c. and d.		
Complete the appropriate following items. If additional sp information requested below in an Exhibit. C Nondirectional © Directional	ace is needed, please provide the	[Exhibit 25]
	er kW at 1 km (Nondirectional) 1 km (Directional)	- Canada - Angel - Ang
	,	•

Standard RMS: 313 mV/m	at 1 km (Directional Only)	
[Nondirectional Tower Subform]		
or		
[Directional Towers Subform]		
5d. Dire	ectional Towers:	
Tower Number		10 0 00 00 00 00 00 00 00 00 00 00 00 00
Overall height above ground (include obstruction lighting) (meters)	66.7	
Antenna structure registration	Number: 1064961 Notification filed with FAA Not Applicable	
Is this tower:	C (a) Top-loaded C (b) Sectionalized C (c) Neither	
Height of radiator above base insulator, or above base, if grounded (meters)	64	
Electrical height of radiator (degrees)	104.5	
Field ratio	1	
Phase (degrees)	0	
Spacing (degrees)	15.9	
Tower orientation (degrees CW from True North)	278	
Tower reference switch	0	
Top-Loaded/Sectionalized apparent height (meters)		- Control of the Cont
A		-
В		
C		
D		wayaani
Tower Number ,	2	The state of the s
Overall height above ground (include obstruction lighting) (meters)	66.4	=

Antenna structure registration	Number: 1064960
	☐ Notification filed with FAA ☐ Not Applicable
Is this tower:	C (a) Top-loaded
•	C (b) Sectionalized
	🧿 (c) Neither
Height of radiator above base insulator, or above base, if grounded (meters)	64
Electrical height of radiator (degrees)	104.5
Field ratio	0.5
Phase (degrees)	166
Spacing (degrees)	68
Tower orientation (degrees CW from True North)	303
Tower reference switch	0
Top-Loaded/Section .lized apparent height (met rs)	
A	
В	
C	
D	
Tower Number	3
Overall height above ground	66.7
(include obstruction (ighting) (meters)	
Antenna structure registration	Number: 1290578
	Notification filed with FAA
Antenna structure registration	Notification filed with FAA Not Applicable
Antenna structure registration	Notification filed with FAA Not Applicable C (a) Top-loaded
Antenna structure re sistration	Notification filed with FAA Not Applicable (a) Top-loaded (b) Sectionalized
Antenna structure registration	Notification filed with FAA Not Applicable C (a) Top-loaded
Antenna structure registration Is this tower: Height of radiator above base insulator, or above base,	Notification filed with FAA Not Applicable (a) Top-loaded (b) Sectionalized
Antenna structure registration Is this tower: Height of radiator above base insulator, or above base, if grounded (meters)	Notification filed with FAA Not Applicable C (a) Top-loaded C (b) Sectionalized C (c) Neither
Antenna structure registration Is this tower: Height of radiator above base insulator, or above base, if grounded (meters). Electrical height of radiator (degrees)	Notification filed with FAA Not Applicable C (a) Top-loaded C (b) Sectionalized C (c) Neither 64
Antenna structure registration Is this tower: Height of radiator above base insulator, or above base, if grounded (meters) Electrical height of adiator (degrees) Field ratio	Notification filed with FAA Not Applicable C (a) Top-loaded C (b) Sectionalized C (c) Neither 64 104.5 0.5
Antenna structure registration Is this tower: Height of radiator above base insulator, or above base, if grounded (meters) Electrical height of adiator (degrees) Field ratio Phase (degrees)	Notification filed with FAA Not Applicable C (a) Top-loaded C (b) Sectionalized C (c) Neither 64 104.5 0.5 -146
Antenna structure registration Is this tower: Height of radiator above base insulator, or above base, if grounded (meters) Electrical height of adiator (degrees) Field ratio Phase (degrees) Spacing (degrees)	Notification filed with FAA Not Applicable C (a) Top-loaded C (b) Sectionalized C (c) Neither 64 104.5 0.5 -146 68
	Notification filed with FAA Not Applicable C (a) Top-loaded C (b) Sectionalized C (c) Neither 64 104.5 0.5 -146

11/30/2016 12:40 PM

h			
	A		
	В		Control Contro
	C		
	D		
		<u> </u>	- contraction to the second of
-			
1	Augmented: © Yes O No		
I	f "yes," complete the following:		
1	Augmented RMS: 313.6 mV/m at 1 km	m	
	Augmentations Subform]		
-			
	•	Augmentations:	
		Azimuth Span Augmentation radiation	
		(degrees) (degrees) (mV/m at 1 km)	
		213 30 79.2	
		Azimuth Span Augmentation radiation (degrees) (degrees) (mV/m at 1 km)	•
		228 34 72	
		<u> </u>	
	•	Azimuth Span Augmentation radiation	
		(degrees) (degrees) (mV/m at 1 km)	
		245 34 46.1	
L			
	ritical Hours Operation: O Yes O	No.	
[0	Critical Hours Operation]		
N	OTE: In addition to the information c	alled for in this section, an explanatory exhibit providing fu	Il particulars must be
	abmitted for each question for which a TIFICATION	a "No" response is provided.	
		cility complies with the engineering standards and	⊙ Yes C No
as	signment requirements of requiremen	ats of 47 C.F.R. Sections 73.24(e), 73.24(g), 73.33, 73.45, 73.186, 73.189, 73.1650. Exhibit Required	103 110
			See Explanation in
			[Exhibit 13]
		d facility complies with community coverage requirements	⊙ Yes C No
	47 C.F.R. Section 73.24(i).		
			See Explanation in
			[Exhibit 14]
1			

9.	Main Studio Location. The proposed main studio location complies with requirements of 47	• Yes ○ No • No
	C.F.R. Section 73.1125.	
		See Explanation in
		[Exhibit 15]
10	D. Interference. The proposed facility complies with all of the following applicable rule sections. Check all those that apply. An exhibit is required for each applicable section.	⊙ Yes C No
		See Explanation in [Exhibit 16]
	Groundwave.	
	☑ a.) 47 C.F.R. Section 73.37.	[Exhibit 17]
	Skywave.	
	☑ b.) 47 C.F.R. Section 73.182.	[Exhibit 18]
	Critical Hours.	
	C.) 47 C.F.R. Section 73.187.	[Exhibit 19]
11	Environmental Protection Act. The proposed facility is excluded from environmental processing under 47. C.F.R. Section 1.1306 (i.e., The facility will not have a significant environmental impact and complies with the maximum permissible radiofrequency	• Yes C No
	electromagnetic exposure limits for controlled and uncontrolled environments). Unless the applicant can determine compliance through the use of the RF worksheets in Appendix A, an Exhibit is required.	See Explanation in [Exhibit 20]
	By checking "Yes" above, the applicant also certifies that it, in coordination with other users of the site, will reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic exposure in excess of FCC guidelines.	
12	Community of License Change - Section 307(b). If the application is being submitted to change	C Yes C No
	the facility's community of license, then the applicant certifies that it has attached an exhibit	© _{N/A}
	containing information demonstrating that the proposed community of license change constitutes a	11/12
	preferential arrangement of station assignments under Section 307(b) of the Communications Act of 1934, as amended (47 U.S.C. Section 307(b)).	[Exhibit 21]
	An exhibit is required unless this question is not applicable.	
3.	Dispositive Section 307(b) Preference.	
******	a. Was the AM facility that is the subject of this application awarded on the basis of a dispositive	C Yes € No
	Section 307(b) preference?	
	b. If yes to 13(a), applicant certifies that: (i) the community of license proposed in the subject	C Yes C No
	application is the same as that on which the Section 307(b) preference was based, or (ii) as shown in the attached Exhibit, the service area proposed in the subject application is	C _{N/A}
	substantially equivalent to the service area on which the Section 307(b) preference was based.	See Explanation in [Exhibit 22]
	c. If yes to 13(a) and no to 13(b), applicant certifies that, although in the subject application it proposes to: (i) change the community of license, or (ii) modify service to the area on which the Section 307(b) preference was based, it has for a period of four years of on air operations: (1)	C Yes C No
	Section 307(b) preference was based, it has for a period of four years of on-air operations: (1) served the community of license, or (2) provided full service to the area on which the Section 307(b) preference was based.	See Explanation in [Exhibit 23]

11/30/2016 12·40 PM

SECTION III - PREPARER'S CERTIFICATION

I certify that I have prepared Section III (Engineering Data) on behalf of the applicant, and that after such preparation, I have examined and found it to be accurate and true to the best of my knowledge and belief.

Name MICHAEL D. RHODES, P.E.		Relationship to Applicant (e.g., Consulting Engineer) CONSULTING ENGINEER				
Signature	Da 11/	te '22/2016				
Mailing Address CAVELL, MERTZ & ASSOCIATES, INC. 7724 DONEGAN DR.						
City MANASSAS	State or Country VA	(if foreign address)	Zip Code 20109 -			
Telephone Number (include area code) 7033929090	E-Mail Address MIKE.RHODES	s (if available) S@CAVELLMERTZ.COI	M			

WILLFUL FALSE STATEMENTS ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. CODE, TITLE 47, SECTION 312(a)(1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).

Exhibits

Exhibit 1

Description: BASIS FOR AMENDMENT

THIS AMENDMENT SERVES TO DELETE CERTAIN AUGMENTATIONS SO THE STANDARD RADIATION PATTERN IS NOT NEGATIVELY REDUCED. EXHIBIT 13-FIGURES 6 & 7 AND TABLE I HAVE BEEN UPDATED TO SHOW THE CORRECT AUGMENTATIONS.

Attachment 1

Exhibit 5

Description: RESPONSE

IN ADDITION TO HIS CWNERSHIP AND CONTROL OF STATION KKWJ, THE PRINCIPAL OF SALT OF THE EARTH BROADCASTING, INC. OWNS AND CONTROLS MARTIN BROADCASTING, INC. ('MBI') IN THE HOUSTON RADIO MARKET, AS DETERMINED BY NIELSEN AUDIO AND REPORTED BY BIA/KELSEY, MBI IS THE LICENSEE OF STATION KYOK(AM), CONROE, TEXAS (FIN: 40484). ACCORDING TO NIELSEN AUDIO AS REPORTED BY BIA/KELSEY, THERE ARE MORE THAN 45 COMMERCIAL AND NON-COMMERCIAL RADIO STATIONS IN THE HOUSTON RADIO MARKET. PURSUANT TO SECTION 73.3555(A)(1)(I) OF THE COMMISSION'S RULES, THE OWNERSHIP AND CONTROL OF TWO RADIO STATIONS IN A RADIO MARKET WITH MORE THAN 45 RADIO STATIONS COMPLIES WITH THE FCC'S LOCAL RADIO MULTIPLE OWNERSHIP RULES.

Attachment 5

Exhibit 13

Description: EXHIBIT 15 - COMPREHENSIVE ENGINEERING EXHIBIT - AMENDED

ATTACHED AS A PDF TILE. AMENDMENTS TO FIGURES 6 AND 7, AND TABLE I TO SPECIFY ADJUSTED PATTERN AUGMENTATIONS.

Attachment 13

- A .A
Description

Exhibit 13 - Compresensive Engineering Exhibit - Amended

AMENDED ENGINEERING EXHIBIT

APPLICATION FOR CONSTRUCTION PERMIT

prepared for

Salt of the Earth Broadcasting, Inc.

KWWJ(AM) Baytown, Texas Facility ID 58724 1360 kHz 5 kW/0.8 kW DA-2 U

Table of Contents

FCC Form 301, Section III-A

Exhibit 13	Comprehensive Engineering Statement						
Figure 1	Tower Survey						
Figure 2	Daytime Antenna Radiation Pattern Plot						
Figure 3	Daytime Cochannel Allocations Map						
Figure 4	Daytime 1st Adjacent Channel Allocations Map						
Figure 5	Daytime 2 nd Adjacent Channel Allocations Map						
Figure 6	Nighttime Antenna Radiation Pattern Plot - Amended						
Figure 7	Nighttime Community Coverage - Amended						
Table I	Nighttime Allocations Study - Amended						

This material supplies a "hard copy" of the engineering portions of this application as entered November 22, 2016 for filing electronically. The FCC's electronic filing system may be accessed by anyone with the applicant's name and password, and electronic data may otherwise be altered in an unauthorized fashion. We cannot be responsible for changes made subsequent to our entry of this data and related attachments.

prepared for

.

Salt of the Earth Broadcasting, Inc.

KWWJ(AM) Baytown, Texas Facility ID 58724 1360 kHz 5 kW/0.8 kW DA-2 U

Salt of the Earth Broadcasting, Inc. ("SEBI"), is the licensee of Station KWWJ(AM), 1360 kHz, at Baytown, Texas. KWWJ operates from a directional antenna array utilizing different day and night directional patterns. A recent geographical site survey (attached as Exhibit 13-Figure 1) was undertaken in an effort to reduce the tower lighting requirements and associated operational and maintenance costs. The survey, instead, revealed unexpected coordinate and tower height discrepancies between the license and the long-built towers.

The FAA has been notified of the coordinate correction and an updated Determination of No Hazard has been issued for all three towers. The Antenna Structure Registrations ("ASR") for all towers have been modified to show the corrected coordinates and heights. The corresponding ASR Numbers for each tower are shown in the Tech Box portion of FCC Form 301. SEBI now seeks to modify its Station license for the purpose of correcting geographic coordinates of the center of the KWWJ array and the radiation height of the three structures.

It is not known when these discrepancies first occurred. The last known tower construction was performed in 1985 by the prior licensee when two of the three towers were replaced after being damaged by the effects of a hurricane (see BL-19850903AF). SEBI has made no physical changes to the towers since it became the licensee in 1988. SEBI also relied on the original tower descriptions in the license documentation in its daytime power increase construction permit and subsequent license application and proof of performance (see BL-19960503AD.)

There are no physical changes to the KWWJ antenna system or tower parameters proposed herein. The operating parameters, with the exception of the nighttime power reduction, are the same as those currently licensed. Therefore, it is respectfully requested that the construction permit sought by this application not be conditioned on a proof of performance. The most recent full proof of performance for the daytime pattern was filed as BL-19960503AD after the daytime power was increased to 5 kW with no change in the nighttime operation. As mentioned above, the most recent

(page 2 of 5)

proof of performance for the nighttime pattern was filed as BL-19850903AF by the prior licensee after reconstruction of two towers resulting from significant hurricane damage.

Corrected Coordinates

When converted to NAD27 and rounded to the nearest whole second, the recent site survey revealed differences of approximately one-second latitude between the actual and licensed KWWJ coordinates. The surveyed geographic coordinates of the center tower (Tower 2) are being used as the coordinates of the array. This results in an apparent minor move in a northerly direction. The licensed and corrected coordinates are shown below:

Licensed Coordinates

29° 46' 28" North Latitude 95° 00' 55" West Longitude (NAD 27 Datum)

Corrected Coordinates

29° 46' 29" North Latitude 95° 00' 55" West Longitude (NAD 27 Datum)

Corrected Tower Height

The KWWJ license shows the height of the center tower to be 5 feet (3.1 electrical degrees) taller than the outside towers. As part of the tower survey *SEBI* was surprised to learn that the radiation height for all three towers appears to be essentially the same. Further, the radiation height was calculated to be slightly *taller* than the licensed height of 99.6° and 102.1°. That was determined from the tower surveyed elevations shown in **Exhibit 13-Figure 1**. When rounded to the nearest foot and subtracting the 1 foot base insulator height, the height of the tower structures (not including the navigation beacon and lightning rod) is calculated to be 210 feet². At this height the new electrical height is 104.5°. Thus all calculations for the operation of the station herein have been performed at 104.5°.

Since there is a proposed change in tower height, daytime and nighttime allocations studies were performed. Using the corrected coordinates and tower height, stations with existing daytime contour overlap are not materially worsened and no new contour overlap is created by this coordinate

¹ See FAA Study Numbers: 2014-ASW-8504-OE, 2014-ASW-8505-OE, and 2014-ASW-8506-OE.

² Due to rounding small fractions of a foot in the Tower Survey, Tower 1 radiation height computes to 209 feet. For consistency in this application, all towers are assumed to be the 210' in height.

(page 3 of 5)

correction. The nighttime allocations studies revealed an increased tower height results in a calculated increase in interference to a Mexican facility. Therefore a reduction in nighttime operating power from 1.0 kW to 0.8 kW is proposed herein and no coordination with the Mexican government is required. This power reduction also eliminates all calculated interference increases to all domestic facilities as well.

Daytime Allocations

Pertinent nearby stations operating on cochannel and adjacent channels are shown in Exhibit 13-Figures 3, 4, and 5. There is no cognizable change in the contour locations, consequently the licensed contours have not been drawn on the attached exhibits. A computer program was used to calculate the area of overlap, excluding the water, for each station where overlap is shown. This land area was compared to the contour overlap land area of the licensed facility. The changes are shown in the "Delta" column of the table below. As shown, the changes in area are de mini nis when compared to the overlap area and the larger protected coverage area.

		Protected Contour Total Land Area	Contou	nce <i>from</i> KV r Overlap A (sq. km)	Delta as a Percentage of Total Coverage		
<u>Callsign</u>	Frequency	<u>(sq. km)</u>	Licensed	Proposed	<u>Delta</u>	<u>Area</u>	
KKTX(Lic)	1360	26,860 (0.5 mV/m)	5,420	5,508	88	0.3%	
KNIR(Lic)	1360	11,924 (0.5 mV/m)	4,656	4,724	68	0.6%	
KCOX(Lic)	1350	20,085 (0.5 mV/m)	1,905	1,949	44	0.2%	
KJCE(Lic)	1370	30,839 (0.5 mV/m)	677	719	42	0.1%	
KRCM(Lic)	1380	3,509 (5.0 mV/m)	527	539	12	0.3%	
KRCM(App)	1380	3,509 (5.0 mV/m)	527	539	12	0.3%	
	KWWJ Protected Contour Total Land Area		Interference <i>to</i> KWWJ Contour Overlap Area (sq. km)			Delta as a Percentage of Total Coverage	
<u>Callsign</u>	Frequency	<u>(sq. km)</u>	Licensed	Proposed	<u>Delta</u>	<u>Area</u>	
KKTX(Lic)	1360	27,509 (0.5 mV/m)	12,348	3 12,320	-28		
KNIR(Lic)	1360	27,509 (0.5 mV/m)	6,564	6,596	32	0.1%	
KCOX(Lic)	1350	27,509 (0.5 mV/m)	3,450	3,496	5 46	0.2%	
KJCE(Lic)	1370	27,509 (0.5 mV/m)	291	314	1 23	0.1%	
KRCM(Lic)	1380	6,786 (5.0 mV/m)	527	7 539	12	0.2%	
KRCM(App)	1380	6,786 (5.0 mV/m)	527	539	12	0.2%	
KKTX(Lic) KNIR(Lic) KCOX(Lic) KJCE(Lic) KRCM(Lic)	1360 1360 1350 1370 1380	27,509 (0.5 mV/m) 27,509 (0.5 mV/m) 27,509 (0.5 mV/m) 27,509 (0.5 mV/m) 6,786 (5.0 mV/m)	12,348 6,564 3,450 293 523	12,320 4 6,596 0 3,496 1 314 7 539	-28 5 32 5 46 4 23 9 12	0.1% 0.2% 0.1% 0.2%	

(page 4 of 5)

Nighttime Coverage and Allocations Considerations

The calculated nighttime interference free signal level for KWWJ continues to be 13.8 mV/m. Though no longer required under Section 73.24 of the Commission's rules, **Exhibit 13-Figure 7** shows that the 13.8 mV/m NIF contour of the proposed 0.8 kW operation clearly continues to cover the entire community of Baytown.

The results of a night study showing the required protection to each pertinent station as well as the proposed radiation and the resulting difference ("margin") are shown in **Exhibit 13-Table I**. Note that positive margin is where the required protection exceeds the proposed radiation. Additional information on the night study can be provided upon request.

It is believed that the proposed nighttime operation complies with all domestic and international allocations rules and policies.

Changes to Nighttime Monitor Point Limits

The following table lists the licensed monitor point limits as well as the suggested monitor point limits for the proposed 0.8 kW operation.

	Distance from	Licensed Maximum	Proposed Maximum
Azimuth	Transmitter (km)	Field Strength (mV/m)	Field Strength (mV/m)
37°	5.20	34.5	30.9
220°	3.38	8.7	7.8
229°	3.98	13.5	12.1
245°	2.77	34.2	30.6
326°	4.02	32.9	29.4
354°	4.17	19.3	17.3

Environmental Considerations

Based on information provided by the applicant, it is believed that the provisions of Section 1.1307(a)(1-7) would not apply in this case since no construction is proposed and no change in existing structure marking requirements is required. Therefore, it is believed that this application may also be categorically excluded from environmental processing pursuant to Section 1.1306 of the Commission's rules. The station currently complies with the limits specified in Section 1.1310 and

(page 5 of 5)

satisfies the exposure criteria set forth in the Commission's <u>OET Bulletin No. 65</u>. The impact of human exposure to radiofrequency energy also will not change.

It is believe this proposal is in compliance with all Commission Rules and policies regarding coordinate correction. An FCC Form 302-AM, Application for License, will be filed immediately upon the grant of this Construction Permit.

HANS CONSULTING COMPANY

Professional Engineers and Land Surveyors
P O Box 1324
Baytown, Texas 77522
(281) 427-6054

KWWJ TOWER SURVEY BAYTOWN, TEXAS

Tower # 1: LATITUDE: 29° 46' 30.1" North LONGITUDE: 95° 00' 56.8" West ELEVATIONS: Ground at tower base (above mean sea level): 23.88 Top of lower foundation (above mean sea level): 27.59 Top of lower structure (above mean sea level): 238.32 Top of navigation light (above mean sea level): 240.78 Top of lower appurtenances (above mean sea level): 241.83
Tower # 2: LATITUDE: 29°46' 29.5" North LONGITUDE: 95° 00' 55.8" West ELEVATIONS: Ground at tower base (above mean sea level): 22.87 Top of tower foundation (above mean sea level): 27.26 Top of tower structure (above mean sea level): 238.02 Top of navigation light (above mean sea level): 240.49 Top of tower appurtenances (above mean sea level): 241.76
Tower # 3: LATITUDE: 29° 46' 28.7" North LONGITUDE: 95° 00' 54.2" West ELEVATIONS: Ground at tower base (above mean sea level): Top of tower foundation (above mean sea level): Top of tower structure (above mean sea level): Top of navigation light (above mean sea level): 238.12 Top of tower appurtenances (above mean sea level): 240.58 Top of tower appurtenances (above mean sea level): 241.70


Horizontal position based on NAD 83 Control


Elevation are NAVD 2001 Adjustment obtained by GPS observation using GEOID 12A. The survey complies with FAA Obstacle Accuracy Code 2C – Horizontal Position +/- 50 feet, Vertical elevation +/- 20 feet.


Gordon W. Hans


Registered Professional Land Surveyor #1748


December 7, 2014














NIGHTTIME ALLOCATIONS STUDY Exhibit 13 - Table I - Amended

prepared for

Salt of the Earth Broadcasting, Inc.

1360 kHz 5 kW/0.8 kW DA-2 U KWWJ(AM) Baytown, Texas Facility ID 58724

Night Allocation Protection Report

Call: KWWJ.800w Freq: 1360 kHz BAYTOWN, TX, US HOURS: N

Lat: 29-46-28.70 N Lng: 095-00-55.10 W Power: 0.8 kW Theo RMS: 297.62 mV/m @ 1km @ 0.8 kW # of Augmentations: 3

Д	(ded)	1 1	0	0.0	0.0
	(deg)				
	(deg)				0.0
	(deg)	1 1 1	0.0	0.0	0.0
	Swtch		0	0	0
Ref	Swtch	1 1 1 1	0	0	0
Height	(deg)	1 1 1	104.5	104.5	104.5
\sim	(ded)				
Spacing	(deg)	1 1 1	15.9	68.0	68.0
Phase	(ded)	1 1	0.0	166.0	-146.0
Field	Ratio	1 1 1 1	1.000	0.500	0.500
	#	1	Н	7	М

Augmentations:

	Azimuth	Radiation	Span			
#		(mV/m@1km)	(deg)			
I		1 1 1 1 1 1 1	1 1 1			
гН	213.00	79.20	30.0			
7		72.00	34.0			
m	245.00		34.0			
Call	H			Azi	And Low An	An

Call		Azi	And Low	Ang High	REME	Red Drot	Dermis	לים אני	M
Letters	Ct St City	(deg)	(deg)	(deg)	100uV/m	(m/vm) ((m/vm)	(mV/m)	(mV/m)
		1 1 1	1 1 1 1 1		 		. !		(, , , , , , , , , , , , , , , , , , ,
KMNY. L	US TX HURST	331.45	19.81		166.84	2.836	84 99	0 7 8	1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
KKTX.L	US TX CORPUS CHRISTI	227.95	23.22		71 000	00000	70.00	70.00	1 0
WMOB. L	AT,	79 73	10.01		4.50		70.07	07.CD	T/ · /
T CINITIFI			70.01		04.50	7.040	431.38	417.68	11.70
WILLY TO	그	95.29	3.32		31.12	3.373	541.94	527.42	14 52
XEUL.P/A	MX YC PROGRESO	148.97	7.54		55.71	5,995	538 05	503 50	, , , ,
WKAT.C	US FL NORTH MIAMI	103.14	1.98		25 20	ر دره د	777 OF	00000	
WKAT.L	FГ	103.47	1.94	5.44	25.05	2.902	579.28	262.40 87.837	15.47

Cavell Mertz & Associates, Inc.

Exhibit 13 - Table I - Amended (Page 2 of 2) NIGHTTIME ALLOCATIONS STUDY

99.55	117.39	118.11	152.18	213.45	213.45	213.45	213.45	214.81	239 07	241.20	250.75	254.26	265.43	265 43	284.02	285.35	289.22
155.89	58.56	437.67	72.52	92.42	92.42	92.42	92.42	92.93	108.45	67.23	131.81	148.97	211.98	211.98	191.90		
255.44	175.95	555.78	224.69	305.87	305.87	305.87	305.87	307.74	347.52	308.43	382,56	403.23	477.41	477.41		ك	38.
3.496	•	1.420		3.450	3.450	3.450	3.450	3.463	4.772	3.247	1.211	4.540	5.225	5.225	2.345	4.806	1.182
68.43	117.32	127.78	23.89	56.39	56.39	56.39	56.39	56.27	68.66	52.63	15.83	56.29	54.72	54.72	24.64	Н	13.46
15.44	18.05	25.35	6.29	7.64	7.64	7.64	7.64	7.62	9.20	12.68	3.89	13.24	7.41	7.41	6.32	5.78	1.65
8.81	18.05	15.59	2.55	7.64	7.64	7.64	7.64	7.62	9.20	6.95	0.81	7.33	7.41	7.41	2.57	5.78	00.0
293.63	258.93	86.78	355.61	265.86	265.86	265.86	265.86	266.02	205.70	349.97	18.64	ъ.	191.17	Ξ.	39.49	180.92	284.57
TX	CH	LA	US IA SIOUX CITY	MX CH CHIHUAHUA	E.		H	E	MX SL CD.VALLES	US KS EL DORADO	MI	Ϋ́Ι	VC MARTINEZ DE	MX VC MARTINEZ DE LA	US OH CINCINNATI	VC SAN	US CA SAN DIEGO
KACT.L	XEIK.O/A	WWWL.L	KSCJ. L	XEDI.P/A	XEDI.P/O	XEDI.P/O	XEDI.P/O	XEDI.O/A	XEVAL.O/O	KPHN.L	WTAQ.L	KDJW.I	XEFBF.O/O	XEFBF.P/A	WSAI.L	XEDQ.O/A	KLSD.L