UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION

File No.:

BL-870717AD

FAC ID: Call Sign: 12682 KPEL

AM BROADCAST STATION LICENSE

Subject to the provisions of the Communications Act of 1934, as amended, subsequent Acts, Treaties, and Commission Rules made thereunder, and further subject to conditions set forth in this license, the LICENSEE

LAFAYETTE BROADCASTING, INC.

is hereby	authorized	to	use	and	operate	the	radio	transmitting	apparatus	hereinafter	described	for	the	purpose	of	broadcasting	for	the	term	ending	3 a	ı.m.	Local
Time	in accordance with the following:																						
	Jur	1e	1.	19	989						•												

	·									
1.	Station location:	Lafay	ette,	LA						
2.	Main Studio location: (Listed only if not at transmitter site or not within boundaries of principal community)				3. 1	Remote control loca		749 Bertr afayete,		5
4.	Transmitter location:	Shantel Lafayet		Lebesque Roads LA		h latitude : i longitude:	30° 92°	16 ′ 03 ′	38 " 51 "	
5.	Transmitter(s): Type Accept	ed. (See Section	ons 73.10	660, 73.1665 and 73.1670 of th	e Comm	ission's Rules.)				
6.	Antenna and ground system	: Atta	ched							
7.	Obstruction marking and lig	hting specifica	tions — I	FCC Form 715, paragraphs: NO	ne r	equired.				
8.	Frequency (kHz.):	20	_							
9.	Nominal power (kW):	1.0 0.75	_ Day _ Night							
	Antenna input power (kW):	1.0	_ Day	☑ Non-directional antenna: cur	rent	3.5	amper	es; resistance	81.5	ohms
				☐ Directional antenna : cur	rent		amper	es; resistance		ohms
		0.808	_ Night							
	for department of the control of th		- iniRiir	☐ Non-directional antenna: cur	rent		amper	es; resistance		ohms.
			~	☑ Directional antenna : cur	rent	4.02	amper	es; resistance	50	ohms.
10.	Hours of operation: Specified	d in construction	on permit	(BP -860818AD & BI	4P-86	1007AC				

The Commission reserves the right during said license period of terminating this license or making effective any change . or modification of this license which may be necessary to comply with any decision of the Commission rendered as a result of any hearing held under the rules of the Commission prior to the commencement of this license period or any decision rendered as a result of any such hearing which has been designated but not held, prior to the commencement of this license period.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934, as amended.

 1 This license consists of this page and pages Dated: 0 CT $\,8\,$ $\,1987\,$

11. Conditions:

JDS/ajs

FEDERAL COMMUNICATIONS COMMISSION





File BO.:

BL-870717AD

KPEL Call Sign:

7/23/87 Date:

FAC ID: 12682

1. DESCRIPTION OF DIRECTIONAL ANTERNA SYSTEM

DA-

Two(2) vertical, guyed, series excited excited steel No. and Type of Elements: radiators of uniform cross section. Theoretical RMS 282.57 mV/m/Km; Std. RMS 296.89 mV/m/km night. Q - 10.0.

Meight above Insulators:

195' (101.3°)

Overall Beight:

198'

Spacing and Orientation:

Towers are spaced 153.9' (80°) on a line bearing 151° T.

Mon-Directional Antenna:

NW(#1) tower. Theoretical efficiency 313.82 mV/m/Kw/Km.

120 equally spaced, buried copper radials 175 foot in Ground System consists of length except where bonded to a transverse copper strap between towers.

2. THEORETICAL SPECIFICATIONS

#2(SE) #1(NW) Tower -138.5° O° Phasing: Night

Field Ratio:

Night

1.0

0.75

3. OPERATING SPECIFICATIONS

0° -124° Phase Indications: Night

0.769 Antenna Base 1.00 Night

Current Ratio:

Antenna Monitor Sample Current Ratio:

Night

1.00

0.61

Potomac Instruments AM-19(204) Antenna Monitor. * As indicated by

ANTENNA SAMPLING SYSTEM APPROVED UNDER SECTION 73.68(b) OF THE RULES.

DESCRIPTION OF AND FIELD INTENSITY AT MONITORING POINTS:

Direction of 30 degree true North. From the KPEL transmitter building, proceed out the KPEL driveway to Shantel Road. Turn right and proceed north 0.45 miles to N. Dugas Road. Turn right and proceed east 0.95 miles to Louisiana Highway 182. Turn left and proceed north 0.70 miles to Elaine Drive. Turn left and proceed west 0.14 miles to the loop at the end of Elaine Drive. Turn left and proceed west 0.14 miles to the loop at the end of Elaine Drive. Turn left and proceed south 0.09 miles to the point. The point is located at the southwest corner of the rectangular loop and lies 1.20 miles (1.93 km) from the antenna. The field intensity measured at this point should not exceed 34.5 mV/m.

Direction of 272 degree true North. From the KPEL transmitter building, proceed out the KPEL driveway to Shantel Road. Turn right and proceed North 0.43 miles to N. Dugas Road. Turn left and proceed west 1.5 miles to D. Mount Road. Turn left and proceed south 0.35 miles to the point. The point is located on the east side of the road, 100 feet south of the coulee and lies 1.60 miles (2.58 km) from the antenna. The field inttensity measured at this point should not exceed 21.5 mV/m.

Direction of 331 degree true North. From the KPEL transmitter building, proceed out the KPEL driveway to Shantel Road. Turn right and proceed north 0.45 miles to N. Dugas Road. Turn left and proceed west 1.50 miles to D. Mouton Road. Turn right and proceed north 1.50 miles to Benoit Road. Turn right and proceed east 0.40 miles to Androcles Road. Turn left and proceed north 0.25 miles to the point. The point is located in the middle of the unpaved extension of Androcles and lise 2.40 miles (3.86 km) from the antenna. The field intensity measured at this point should not exceed 27.8 mV/m.