UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION

MODIFIED STANDARD BROADCAST STATION LICENSE

File No.: BR-3522

Call Sign: K & Z A

Fac 10: 54572

Subject to the provisions of the Communications Act of 1934, subsequent Acts, and Treaties, and Commission Rules made thereunder, and further subject to conditions set forth in this license, ¹/_{the LICENSEE}

RADIO FIESTA CORPORATION

is here	by authorized	to use and ope	ate the radio tr	ınsm	itting apparams	hereinafter de	coribad familia	ourpose of broadcasting
for the	term ending 3	a.m. Local Tin	TA Alle THE AREA AND AND AND AND AND AND AND AND AND AN	_	1980	meremanter des	scribed for the b	urpose of broadcasting
		- Docar 112	· December	l.	1980			

The licensee shall use and operate said apparatus only in accordance with the following terms:

- 1. On a frequency of 1290 kHz.
- 3. Hours of operation: Daytime as Follows:

Jan. 7:15 am to 5:15 pm; Feb. 7:00 am to 5:45 pm; Mar. 6:15 am to 6:15 pm; Apr. 5:30 am to 6:45 pm; May 5:00 am to 7:00 pm; June 4:45 am to 7:30 pm; July 5:00 am to 7:30 pm; Aug. 5:15 am to 7:00 pm; Sep. 5:45 am to 6:15 pm; Oct. 6:15 am to 5:30 pm; Nov. 6:45 am to 5:00 pm; Dec. 7:15 am to 4:45 pm; Pacific Standard Time (Non-Advanced).

- 4. With the station located at: Gilroy. California
- 5. With the main studio located at: 1820 Cochran Road, Morgan Hill, California
- 6. Remote control point: 59 North Monterey Street, Gilroy, California
- Transmitter location:
 1820 Cochran Road
 Morgan Hill, California

North Latitude: 37 09 48
West Longitude: 121 38 28

- 8. Obstruction marking specifications in accordance with the following paragraphs of FCC Form 715: 1, 3, 11 & 21.
- 9. Transmitter(s): BAURR, FB-5000J
- 10. Conditions:

The Commission reserves the right during said license period of terminating this license or making effective any changes or modification of this license which may be necessary to comply with any decision of the Commission rendered as a result of any hearing held under the been designated but not held, prior to the commencement of this license period or any decision rendered as a result of any such hearing which has

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

1/This license consists of this page and pages 2 & 3.

FEDERAL COMMUNICATIONS COMMISSION



File No.: BR-3522

Call Sign: KAZA

Date: 11-16-77

. 1. DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

DA- D

No. and Type of Elements: Two uniform cross-section, guyed, series-excited vertical steel radiators.

Height above Insulators:

200' (94.3°)

Overall Height:

2049

Spacing and Orientation:

Spaced 317.5' (150°) on a line bearing 35° True.

Non-Directional Antenna:

None Used.

Ground System consists of

120 equally spaced, buried copper radials 200' in length about the base of each tower. Intersecting radials shortened and bonded to transverse copper strap midway between towers.

2.	THEORETICAL SPECIFICATIONS	South Tower (#1)	North Tower (#2)
	Phasing:	00	53°
	Field Ratio:	1.0	0.85
3.	OPERATING SPECIFICATIONS		
	Phase Indication*:	0°	57°
	Antenna Base		
	Current Ratio:	1.0	0.952
Antenna Moni	tor Sample		
	Cuitent Ratio.	1.0	1.0

Delta AAM-1 (#3-235)

*As indicated by

antenna monitor.

Field intensity measuring equipment shall be available at all times and the field intensity at each of the monitoring points shall be measured at least once every thirty days and an appropriate record kept of all measurement so made.

DESCRIPTION OF AND FIELD INTENSITY AT MONITORING POINTS:

Direction of 65° true North. From the KAZA transmitter, proceed east and then south on Cochran Road for 1.8 miles to Hill Road. Turn left on Hill Road (Southeast) and continue 1.2 miles to East Dunne Avenue. Turn left (Northeast) on East Dunne Avenue, proceed up hill, keeping to the right of the sign that reads "Henry Coe State Park." Continue 3 miles on East Dunne Avenue to the Coyote Creek Bridge at Anderson Lake. Proceed 1.85 miles beyond the bridge to the white locked gate. Proceed 0.8 miles past the gate to a point on the left road bank marked with a red and white steel fence post with a tag marked KAZA 65° monitor point, beside a small tree. Distance from the transmitter is 2.1 miles. The field intensity measured at this point should not exceed 15 mv/m.

Direction of 35° true North. Proceed past the 65° monitor point 0.1 miles to the section gate and continue past the gate 0.55 miles to the second side road to the left. Turn left on this side road and proceed 0.6 mile to a red and white fence post with a tag marked KAZA 35° monitor point, beside a large tree on the left side of the road. Distance from the transmitter is 2.2 miles. The field intensity measured at this point should not exceed 48.5 mv/m.