



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

Official Mailing Address:

GENESIS COMMUNICATIONS OF TAMPA BAY, INC.
 POST OFFICE BOX 25434
 TAMPA FL 33622

Authorizing Official:

Son Nguyen
 Son Nguyen
 Supervisory Engineer
 Audio Division
 Media Bureau

Facility Id: 67135
 Call Sign: WMGG

Grant Date: **JUL 31 2017**
 This license expires 3:00 a.m.
 local time, February 01, 2020.

License File Number: BMML-20160621ANY
 License to cover construction permit BP-20120808ABK.

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
 Local Standard Time (Non-Advanced)

Jan.	7:30 AM	6:00 PM	Jul.	5:45 AM	7:30 PM
Feb.	7:15 AM	6:15 PM	Aug.	6:00 AM	7:15 PM
Mar.	6:45 AM	6:45 PM	Sep.	6:15 AM	6:30 PM
Apr.	6:00 AM	7:00 PM	Oct.	6:30 AM	6:00 PM
May	5:45 AM	7:15 PM	Nov.	6:45 AM	5:30 PM
Jun.	5:30 AM	7:30 PM	Dec.	7:15 AM	5:30 PM

Callsign: WMGG

License No.: BMML-20160621ANY

Name of Licensee: GENESIS COMMUNICATIONS OF TAMPA BAY, INC.

Station Location: EGYPT LAKE, FL

Frequency (KHz): 1470

Station Class: B

Antenna Coordinates:

Day

Latitude: N 28 Deg 00 Min 42 Sec

Longitude: W 82 Deg 29 Min 53 Sec

Night

Latitude: N 28 Deg 00 Min 42 Sec

Longitude: W 82 Deg 29 Min 53 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kw): Day: 2.8 Night: 0.80

Antenna Input Power (kW): Day: 3.0 Night: 0.86

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 7.78 Night: 4.16

Resistance (ohms): Day: 50 Night: 50

Antenna Registration Number(s):

Day:

Tower No. ASRN Overall Height (m)

1 1030544

2 1040049

Night:

Tower No. ASRN Overall Height (m)

1 1030544

2 1040048

3 1040049

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 590.895 Night: 268.68
 Standard RMS (mV/m/km): Day: 620.798 Night: 282.59
 Augmented RMS (mV/m/km):

Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	TL/S
2	0.7020	151.000	81.2000	164.000	0	123.7

* Tower Reference Switch

- 0 = Spacing and orientation from reference tower
- 1 = Spacing and orientation from previous tower

Top-Loaded/Sectionalized Tower Parameters: (See 47 CFR 73.160)

Tower No.	A	B	C	D
1	123.7	29.70	.00	.00

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	TL/S
2	1.0600	199.000	81.2000	344.000	0	123.7
3	1.2800	194.000	81.2000	164.000	0	123.7

* Tower Reference Switch

- 0 = Spacing and orientation from reference tower
- 1 = Spacing and orientation from previous tower

Top-Loaded/Sectionalized Tower Parameters: (See 47 CFR 73.160)

Tower No.	A	B	C	D
1	123.7	29.70	.00	.00

Day Directional Operation:

Twr. Phase No. (Deg.)	Antenna Monitor Sample Current Ratio
2	160.3 0.53
3	0 1

Night Directional Operation:

Twr. Phase No. (Deg.)	Antenna Monitor Sample Current Ratio
1 7.5	0.813
2 0	1
3 -177	0.968

Antenna Monitor: POTOMAC INSTRUMENTS 1901

Sampling System Approved Under Section 73.68 of the Rules.

Special operating conditions or restrictions:

- 1 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.
- 2 Ground System Description:
The ground system for each tower consists of 120 buried copper radials, 59.7 meters in length, except where they intersect with copper transverse straps between towers or property boundaries. In addition, 120 15.2 meters copper radials are interspersed at the base of each tower. Copper strap connects all towers to the main transmitter grounding point.
- 3 The licensee shall perform the measurements described in Section 73.155 at least once within every 24 month period.
- 4 Clarification of Tower Numbering System for day and night directional antenna monitor indications:
Tower #1 is the NW tower, tower #2 is the SE tower and tower #3 is the Center tower.
- 5 Grant of this license application is conditioned on the continuous operation of the licensed facility for the twelve-month period following grant. The failure of the facility to so operate will result in the rescission of this grant, dismissal of the license application and the forfeiture of the associated construction permit pursuant to 47 C.F.R. § 73.3598(e) unless the licensee rebuts the presumption that the authorized facilities were temporarily constructed.

*** END OF AUTHORIZATION ***