FCC Form 352 Way 1988

### UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION

#### M BROADCAST STATION LICENSE

File No. :BZ-960130AC

62120

Call Sign

: KNWX

Ī		
(		)
Γ	T	1
2	2	7
(	ſ	
Ī	T	
i	Į	

#### Bonneville Holding Company

ກ			? .1
6 Antenna and ground system:	North Latitude West Longitude		<ol> <li>Community of License: Seattle, WA</li> <li>Transmitter location: 23410 Dockt.</li> <li>Vashon, WA</li> </ol>
	: 47° 23' 38" : 122° 25' 25"		: Seattle, WA : 23410 Dockton Road, S.W. Vashon, WA
		5. Remote control location	<ol> <li>Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's rules)</li> <li>Main Studio Location: (See Section 73.1125)</li> <li>2807 Third Avenue</li> <li>Seattle, WA</li> </ol>

Obstruction marking and lighting specifications - FCC Form 715, paragraphs: **1**  $\omega$ 12

g

21

- Frequency. 770 KHZ
- Nominal power (kW)..... 50.0 Day U 0 Night

9

00

7.

Attached

Antenna input power (kW): 52.65 Day Non-directional antenna: current Directional antenna W N 4 U amperes:

resistance

U

0

ohms.

- U Night Non-directional antenna: current Directional antenna 0  $\omega$ 9 amperes: resistance J 0 ohms.
- 10. Hours of operation: BMP-890508AD, BP-841030AE
- 1 Conditions.

6/11/96: This supersedes and Theoretical Specifications authorization and to remove SB the 0 f daytime monitor point the а С 3030

Subject to the provisions of the Communications Act of 1934, as amended, subsequent Acts, Treaties, and Commission rules made thereunder, and further subject to conditions set forth in this license, the LICENSEE is hereby authorized to use and operate the radio transmitting apparatus herein described for the purpose of broadcasting for the term ending f 3 A.M. Local Time

February .998

The Commission reserves the right during said license period of terminating this license or making effective any change, or modification of this license which may be necessary to comply with any decision of the Commission rendered as a result of any hearing held under the rules of the Commission prior to the commencement of this license period.

The license is issued on the licensee's representation that the statements contained in the licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934, as amended. This license is subject to the right or control by the Government of the United States conferred by section 606 of the Communications Act of 1934, as amended.

HKC:rao

Dated: <sup>1</sup> This license consists of this page and pages 2,  $\omega$ 82 4

COMMISSION COMMUNICATIONS



File No.: BMP-890508AD

Call Sign: KNWX

### <u>.</u> DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

**No. and Type of Elements:** Three (3), guyed, series-excited, steel radiators of uniform cross section. Theoretical RMS: 2167 mV/m/km, day; 724.2 mV/m/km, night. Standard RMS: 2276.56 mV/m/km, day; Augmented RMS: 762.4 mV/mkm, night. Q factor: 70.71, day; 22.36, night.

Height above Insulators: 121.9 m (113°)

Overall Height: 124 m

Spacing and Orientation: Towers are spaced 97.5° apart on a bearing of 303° True.

Non-Directional Antenna: None Authorized

except where foreshortened at the property boundary. Ground System consists of 120 buried copper radials extending 107 meters long

Ы	THEORETIC, Towers:	THEORETICAL SPECIFICATIONS Towers: #1(C)	#1(C)	#2(NW)	#3(SE)
	Phasing:	Night: Day:	51.7° -30.4°	0°	144.1° -50.3°
	Field Ratio:	Night: Day:	0.685 0.431	1.0	0.658 0.460
·ω	OPERATING SPEC Phase Indication*: Night Day:	OPERATING SPECFICATIONS Phase Indication*:	ONS 69.9 -33.2°	000	137.4° -38.6°
	Antenna Base Current Ratio:	we o: Night: Day:	0.884	1.000	0.761 0.602
	Antenna Monitor Sample Current Ratio: Night: Day:	nitor Sample o: Night: Day:	0.905 0.353	1.000	0.763 0.631

<sup>\*</sup>As indicated by Potomac Instruments Type 1901 Antenna Monitor. Antenna sampling system approved under Section 73.68 (b) of the Rules.

File No: BL-940721AA Call Sign: KNWX

# DESCRIPTION OF AND FIELD INTENSITY AT MONITORING POINTS

with a cable gate leads south. Monitor poitn is 0.19 km (0.12 mi) south of SW 244th Street, 10 feet southwest of road and is identified by a steel stake. The field intensity measured at Road SW and proceed south 0.56 km (0.35 mi) to SW 240th Street. Turn left on SW 240th Street and go east. It will join SW Pt. Robinson Road. Continue east to the intersection with 59th Avenue SW. Turn right and proceed south on 59th Avenue SW to SW 244th Street. Turn left and go east on SW 244th Street 0.24 km (0.15 mi) to where a dirt road (overgrown) this point should not exceed 600.84 mV/m, Daytime. Direction of 123° True North. From the KNWX transmitter driveway turn left onto Dockton

feet) south of SW 232nd Street. The field intensity measured at this point should not exceed Street to Old Mill Road. Point is located on the east side of Old Mill Road, 16.2 meters (53 Street. Turn right on SW 288th Street and proceed to the top of the hill where SW 228th Street curves to the left and becomes 107th SW. Continue south on 107th SW to the intersection with SW 232nd Street. Turn right and go west 1.6 km (1.0 mi) on SW 232nd SW. Turn left onto Vashon Highway Sw and proceed south to the intersection with SW 288th **Direction of 273° True North.** From the KNWX transmitter building, turn right onto Dockton Road SW and proceed north 1.4 km (0.9 mi) to the intersection with Quartermaster Drive. Turn left onto Quartermaster Drive and proceed west to the intersection with Vashon Highway 106.75 Daytime

exceed 39.4 mV/m, Daytime. proceed north to SW 160th Street. Turn right on SW 160th Street and proceed east 0.40 km proceed west 1.6 km (1.0 mi) to 115th Avenue SW. Turn right on 115th Avenue SW and SW 204th Street to the intersection with Vashon Highway Sw. Turn right and proceed north 3.7 km (2.3 mi) to the intersection with Cove Road SW. Turn left on Cove Road SW and Road SW and proceed north. Dockton Road SW will curve to the left and become SW Vashon Municipal Airport runway. The field intensity measured at this point should not (0.25 mi). The point is located on the north side of the road in line with the east edge of the Ellisport Drive, which will become SW 204th Street at the top of the hill. Continue west on Direction of 333° True North. From the KNWX transmitter building, turn right onto Dockton

Turn left and proceed north 0.45 km (0.28 mi) to end where there is a loop in the driveway in the front yard of 23010 Luana Beach Road. Point is located on the north side of the Robinson Road and proceed east 1.1 km (0.7 mi) to Luana Beach Road. Turn left on Luana **Direction of 59° True North.** From the KNWX transmitter building turn right onto Dockton Road SW and proceed north 0.8 km (0.5 mi) to Pt. Robinson Road. Turn right on Pt. exceed 71.77 mV/m, Nighttime driveway, north of the loop center. Beach Road and proceed 0.75 km (0.47 mi) to 60th Place SW which is a private driveway. The field intensity measured at this point should not

File No: BL-940721AA Call Sign: KNWX

# DESCRIPTION OF AND FIELD INTENSITY AT MONITORING POINTS

TV box on the south side of the street. The field intensity measured at this point should not exceed 31.3 mV/m, Nighttime. SW. Continue through this intersection to 26024 75th Avenue Sw. Point is near the cable intersection with Gold Beach Drive SW and the second intersection with Gold Beach Drive **Direction of 187° True North.** From the KNWX transmitter building turn left onto Dockton Road SW and proceed south 0.8 km (0.5 mi). When Dockton Road SW curves to the right continue south (straight) along 75th Avenue SW. Continue on 75th Avenue SW past the first

should not exceed 106.16 mV/m, Nighttime driveway on the south side of SW 204th Street. The field intensity measured at this point intersection SW 204th Street will appear to curve to the left, but continue straight along SW 204th Street to 1203 SW 204th Street. Point is located 7.6 meters (25 feet) west of the Road, which will become SW 204th Street at the top of the hill. Continue west on SW 204th Street through the intersection with Vashon Highway SW. 1.2 km (0.75 mi) west of this Road SW and proceed north. Dockton Road will curve to the left and become SW Ellisport Direction of 303° True North. From the KNWX transmitter building turn right onto Dockton