



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION CONSTRUCTION PERMIT

Official Mailing Address:

GENESIS COMMUNICATIONS I, INC.
4300 WEST CYPRESS STREET, SUITE 1040
TAMPA FL 33607

Authorizing Official:

Son Nguyen
Son Nguyen
Supervisory Engineer
Audio Division
Media Bureau

Facility Id: 54573

Call Sign: WHOO

Permit File Number: BMP-20170914ABA

Grant Date: **NOV 9 2017**

The authority granted herein has no effect on the expiration date of the underlying construction permit.

This permit modifies permit no.: BP-20140721AAY

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998).

Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Daytime with Secondary nighttime

Average hours of sunrise and sunset:
Local Standard Time (Non-Advanced)

Jan. 7:15 AM	5:45 PM	Jul. 5:30 AM	7:30 PM
Feb. 7:00 AM	6:15 PM	Aug. 6:00 AM	7:00 PM
Mar. 6:30 AM	6:30 PM	Sep. 6:15 AM	6:30 PM
Apr. 6:00 AM	6:45 PM	Oct. 6:30 AM	6:00 PM
May 5:30 AM	7:15 PM	Nov. 6:45 AM	5:30 PM
Jun. 5:30 AM	7:30 PM	Dec. 7:15 AM	5:30 PM

Callsign: WHOO

Permit No.: BMP-20170914ABA

Name of Permittee: GENESIS COMMUNICATIONS I, INC.

Station Location: WINTER PARK, FL

Frequency (kHz): 1080

Station Class: D

Antenna Coordinates:

Day

Latitude: N 28 Deg 28 Min 00 Sec
Longitude: W 81 Deg 22 Min 29 Sec

Night

Latitude: N 28 Deg 28 Min 00 Sec
Longitude: W 81 Deg 22 Min 29 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 6.0 Night: 0.055

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1257632	
2	1257633	

Night:

Tower No.	ASRN	Overall Height (m)
1	1257632	
2	1257633	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km) : Day: 771.61 Night: 74.93

Standard RMS (mV/m/km) : Day: 810.65 Night: 79.37

Augmented RMS (mV/m/km) :

Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	TL/S
2	0.4200	-166.000	70.7300	32.000	0	TL/S

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Top-Loaded/Sectionalized Tower Parameters: (See 47 CFR 73.160)

Tower No.	A	B	C	D
1	71.5	19.24	.00	.00
2	71.5	19.24	.00	.00

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	TL/S
2	0.6800	-157.000	70.7300	32.000	0	TL/S

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Top-Loaded/Sectionalized Tower Parameters: (See 47 CFR 73.160)

Tower No.	A	B	C	D
1	71.5	19.24	.00	.00
2	71.5	19.24	.00	.00

Inverse Distance Field Strength:

The inverse distance field strength at a distance of one kilometer from the above antenna in the directions specified shall not exceed the following values:

Day:

Azimuth:	Radiation:
133.5	586.4 mV/m
290.5	586.4 mV/m

Night:

Azimuth:	Radiation:
141	33.1 mV/m
283	33.1 mV/m

Special operating conditions or restrictions:

- 1 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.
- 2 Ground System Description:
120 evenly spaced copper wires around each tower extending 63 meters in length unless shortened by 4" copper strap between towers or property boundary.
- 3 RF warning signs must be put around each tower fence.
- 4 The permittee must submit a proof of performance as set forth in either Section 73.151(a) or 73.151(c) of the rules before program tests are authorized.
A proof of performance based on field strength measurements, per Section 73.151(a), shall include a complete nondirectional proof of performance, in addition to a complete proof on the day and night directional antenna system. The nondirectional and directional field strength measurements must be made under similar environmental conditions. The proof(s) of performance submitted to the Commission must contain all of the data specified in Section 73.186 of the rules.
Permittees who elect to submit a moment method proof of performance, as set forth in Section 73.151(c), must use series-fed radiators. In addition, the sampling system must be constructed as described in Section 73.151(c) (2) (i).
- 5 Permittee shall install a type accepted transmitter, or submit application (FCC Form 301) along with data prescribed in Section 73.1660(b) should non-type accepted transmitter be proposed.

Special operating conditions or restrictions:

- 6 Before program tests are authorized, sufficient data shall be submitted to show that adequate filters, traps and other equipment has been installed and adjusted to prevent interaction, intermodulation and/or generation of spurious radiation products which may be caused by common usage of the same antenna system by Stations WHOO(AM) , Winter Park, FL (Facility ID 54573) and WAMT(AM) , Pine Castle Sky Lake, FL (Facility ID No. 15877) and there shall be filed with the license application copies of a firm agreement entered into by the two(2) stations involved clearly fixing the responsibility of each with regard to the installation and maintenance of such equipment. In addition, field observations shall be made to determine whether spurious emissions exist and any objectionable problems resulting therefrom shall be eliminated. Following construction, and prior to authorization of program test under this grant, Stations WHOO(AM) , Winter Park, FL (Facility ID 54573) and WAMT(AM) , Pine Castle Sky Lake, FL (Facility ID No. 15877) shall each measure antenna or common point resistance and submit FCC Form 302 as application notifying the return to direct measurement of power.

- 7 Permittee/licensee shall take special precautions to avoid interference from the second harmonic of WFLF(AM) , Pine Hills, Florida (Facility ID No. 51970) on 540 kHz.

*** END OF AUTHORIZATION ***