



**United States of America**  
**FEDERAL COMMUNICATIONS COMMISSION**  
**AM BROADCAST STATION CONSTRUCTION PERMIT**

Authorizing Official:

Official Mailing Address:

WIFREDO G. BLANCO-PI  
 EXT SAN AGUSTIN  
 1210 CALLE 3  
 SAN JUAN PR 00926

Son Nguyen  
 Son Nguyen  
 Supervisory Engineer  
 Audio Division  
 Media Bureau

Facility Id: 72452

Call Sign: WVOZ

Permit File Number: BP-20170327AAF

Grant Date: **DEC 28 2017**

This permit expires 3:00 a.m.  
 local time, 36 months after the  
 grant date specified above.

Permit to change site, city, and antenna system.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:  
 Local Standard Time (Non-Advanced)

Jan.	7:00 AM	6:15 PM	Jul.	6:00 AM	7:15 PM
Feb.	7:00 AM	6:30 PM	Aug.	6:15 AM	7:00 PM
Mar.	6:30 AM	6:45 PM	Sep.	6:15 AM	6:30 PM
Apr.	6:15 AM	6:45 PM	Oct.	6:15 AM	6:00 PM
May	6:00 AM	7:00 PM	Nov.	6:30 AM	5:45 PM
Jun.	5:45 AM	7:00 PM	Dec.	7:00 AM	6:00 PM

Name of Permittee: WIFREDO G. BLANCO-PI

Station Location: AGUADILLA, PR

Frequency (kHz): 1580

Station Class: B

Antenna Coordinates:

Day

Latitude: N 18 Deg 24 Min 09 Sec

Longitude: W 67 Deg 08 Min 48 Sec

Night

Latitude: N 18 Deg 24 Min 09 Sec

Longitude: W 67 Deg 08 Min 48 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 1.0 Night: 1.0

Antenna Mode: Day: DA Night: ND

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1227488	
2	1239311	

Night:

Tower No.	ASRN	Overall Height (m)
2	1239311	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 305.6

Standard RMS (mV/m/km): Day: 321.1

Augmented RMS (mV/m/km):

Q Factor: Day:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	81.0
2	0.8700	-93.000	75.2000	81.000	0	81.0

\* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Non-Directional Antenna: Night

Radiator Height: 42.7 meters; 81 deg

Theoretical Efficiency: 299.7 mV/m/kw at 1km

Inverse Distance Field Strength:

The inverse distance field strength at a distance of one kilometer from the above antenna in the directions specified shall not exceed the following values:

Day:

Azimuth: Radiation:  
 261 58 mV/m

## Special operating conditions or restrictions:

- 1 The permittee must submit a proof of performance as set forth in either Section 73.151(a) or 73.151(c) of the rules before program tests are authorized.  
A proof of performance based on field strength measurements, per Section 73.151(a), shall include a complete nondirectional proof of performance, in addition to a complete proof on the (day) directional antenna system. The nondirectional and directional field strength measurements must be made under similar environmental conditions. The proof(s) of performance submitted to the Commission must contain all of the data specified in Section 73.186 of the rules.  
Permittees who elect to submit a moment method proof of performance, as set forth in Section 73.151(c), must use series-fed radiators. In addition, the sampling system must be constructed as described in Section 73.151(c) (2) (i).
- 2 Permittee shall install a type accepted transmitter, or submit application (FCC Form 301) along with data prescribed in Section 73.1660(b) should non-type accepted transmitter be proposed.
- 3 A license application (FCC Form 302) to cover this construction permit must be filed with the Commission pursuant to Section 73.3536 of the Rules before the permit expires.
- 4 Licensee shall be responsible for satisfying all reasonable complaints of blanketing interference within the 1 V/m contour as required by Section 73.88 of the Commission's rules.
- 5 Ground system consists of 120 equally spaced, buried, copper radials about the base of each tower, each 59.5 meters in length except where intersecting radials are shortened and bonded to a transverse copper strap midway between adjacent towers.
- 6 \*\*\*NOTE TO PERMITTEE\*\*\*  
Notwithstanding the grant of this construction permit or the expiration date specified herein, your station's license will automatically expire as a matter of law on 9/25/18 if the station has not resumed broadcasting before that time. See Pub. Law No. 104-104, 110 Stat. 56, Section 403(1) (1996) and Order, Silent Station Authorizations, FCC 96-218 (released May 17, 1996). See also Public Notice, Expedited Processing of Applications Filed By Silent Stations, DA 96-818 (May 22, 1996).  
Upon resumption of broadcasting, the licensee must notify the Commission. This notice will be in addition to an application for a license to cover this permit.

\*\*\* END OF AUTHORIZATION \*\*\*