



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

CITICASTERS LICENSES, INC., AS DEBTOR IN POS:
 7136 S. YALE AVENUE
 SUITE 501
 TULSA OK 74136

Son Nguyen
 Son Nguyen
 Supervisory Engineer
 Audio Division
 Media Bureau

Facility Id: 19219

Call Sign: KEIB

Permit File Number: BP-20180516AAF

Grant Date: August 22, 2018

This permit expires 3:00 a.m.
 local time, 36 months after the
 grant date specified above.

This authorization issued to add additional augmentation to nighttime pattern at 48-deg.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
 Local Standard Time (Non-Advanced)

Jan.	7:00 AM	5:00 PM	Jul.	4:45 AM	7:00 PM
Feb.	6:45 AM	5:30 PM	Aug.	5:15 AM	6:45 PM
Mar.	6:00 AM	6:00 PM	Sep.	5:30 AM	6:00 PM
Apr.	5:15 AM	6:30 PM	Oct.	6:00 AM	5:15 PM
May	4:45 AM	6:45 PM	Nov.	6:30 AM	4:45 PM
Jun.	4:45 AM	7:00 PM	Dec.	6:45 AM	4:45 PM

Callsign: KEIB

Permit No.: BP-20180516AAF

Name of Permittee: CITICASTERS LICENSES, INC., AS DEBTOR IN POSSESSION

Station Location: LOS ANGELES, CA

Frequency (kHz): 1150

Station Class: B

Antenna Coordinates:

Day

Latitude: N 34 Deg 02 Min 00 Sec

Longitude: W 117 Deg 59 Min 00 Sec

Night

Latitude: N 34 Deg 02 Min 00 Sec

Longitude: W 117 Deg 59 Min 00 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 50.0 Night: 44.0

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1052533	
2	1052532	
3	1052531	
4	1052530	
5	1052529	

Night:

Tower No.	ASRN	Overall Height (m)
1	1052533	
2	1052532	
3	1052531	
4	1052530	
5	1052529	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 2828 Night: 2656

Standard RMS (mV/m/km):

Augmented RMS (mV/m/km): Day: 2978 Night: 2792

Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.3420	75.600	0.0000	0.000	0	202.9
2	1.0000	0.000	112.8000	252.000	0	202.9
3	0.9090	15.500	229.1000	310.500	0	202.9
4	0.9460	84.100	195.5000	340.000	0	202.9
5	0.2280	-162.200	92.6000	41.000	0	202.9

* Tower Reference Switch

- 0 = Spacing and orientation from reference tower
- 1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	9.5	43.0	441.00
2	133.5	20.0	224.00
3	177.0	24.0	1150.00
4	314.0	39.0	736.00

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.2530	69.900	0.0000	0.000	0	202.9
2	1.0000	0.000	112.8000	252.000	0	202.9
3	0.8370	-6.600	229.1000	310.500	0	202.9
4	0.9770	67.500	195.5000	340.000	0	202.9
5	0.3760	160.100	92.6000	41.000	0	202.9

* Tower Reference Switch

- 0 = Spacing and orientation from reference tower
- 1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	7.5	38.0	325.00
2	48.0	35.0	247.00
3	90.0	17.0	183.00
4	333.5	14.0	291.00

Special operating conditions or restrictions:

- 1 Permitee shall install a type-accepted transmitter, or submit application (FCC Form 301) along with data prescribed in Section 73.1660(b) should non type-accepted transmitter be proposed.
- 2 This application is being granted prior to the completion of the International Telecommunications Union (ITU) registration process. Therefore, any construction of and operation with the facilities specified herein is at applicant's own risk and subject to modification, suspension or termination without right to hearing, if found by the Commission to be necessary in order to conform to the provisions of the registration process of the ITU, and to bilateral and other multilateral agreements between the United States and other countries.
- 3 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

*** END OF AUTHORIZATION ***