



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

WOORI MEDIA GROUP, LLC
 3435 WILSHIRE BOULEVARD
 SUITE 2370
 LOS ANGELES CA 90010

Son Nguyen
 Supervisory Engineer
 Audio Division
 Media Bureau

Facility Id: 18273

Call Sign: KYPA

License File Number: BMML-20111209KKR

Grant Date: August 29, 2013

This license expires 3:00 a.m.
 local time, December 01, 2013.

This license covers Permit No.: BP-20050228ACB

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
 Local Standard Time (Non-Advanced)

Jan.	7:00 AM	5:00 PM	Jul.	4:45 AM	7:00 PM
Feb.	6:45 AM	5:30 PM	Aug.	5:15 AM	6:45 PM
Mar.	6:00 AM	6:00 PM	Sep.	5:30 AM	6:00 PM
Apr.	5:30 AM	6:30 PM	Oct.	6:00 AM	5:15 PM
May	4:45 AM	6:45 PM	Nov.	6:30 AM	4:45 PM
Jun.	4:45 AM	7:00 PM	Dec.	6:45 AM	4:45 PM

Callsign: KYPA

License No.: BMML-20111209KKR

Name of Licensee: WOORI MEDIA GROUP, LLC

Station Location: LOS ANGELES, CA

Frequency (kHz): 1230

Station Class: C

Antenna Coordinates:

Day

Latitude: N 34 Deg 05 Min 08 Sec

Longitude: W 118 Deg 15 Min 24 Sec

Night

Latitude: N 34 Deg 05 Min 08 Sec

Longitude: W 118 Deg 15 Min 24 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 1.0 Night: 1.0

Antenna Input Power (kW): Day: 1.1 Night: 1.1

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 4.65 Night: 4.65

Resistance (ohms): Day: 50 Night: 50

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1014852	
2	1014856	

Night:

Tower No.	ASRN	Overall Height (m)
1	1014852	
2	1014856	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 316.8 Night: 316.8

Standard RMS (mV/m/km): Day: 332.8 Night: 332.8

Augmented RMS (mV/m/km):

Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	90.0
2	0.4000	154.000	74.7000	73.500	0	90.0

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	90.0
2	0.4000	154.000	74.7000	73.500	0	90.0

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Day Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
2	-154.2	0.403
6	0	1

Night Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
2	-154.2	0.403
6	0	1

Antenna Monitor: POTOMAC INSTRUMENTS AM-1901

Sampling System Approved Under Section 73.68 of the Rules.

Special operating conditions or restrictions:

- 1 The ground system consists of 120 equally spaced, buried, copper radials varying from 33.2 meters to 61 meters around each tower, except where terminated by property boundaries or where intersecting radials are shortened and bonded to a transverse copper strip midway between adjacent towers, plus a copper ground screen 15 meters square about the base of each tower.

- 2 The licensee shall perform the measurements described in Section 73.155 at least once within each 24-month period.

*** END OF AUTHORIZATION ***