



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION CONSTRUCTION PERMIT

Official Mailing Address:

SPOTLIGHT BROADCASTING OF NEW ORLEANS, LLC
 POST OFFICE BOX 803
 MORGAN CITY LA 70381

Authorizing Official:

Son Nguyen
 Supervisory Engineer
 Audio Division
 Media Bureau

Facility Id: 43127

Call Sign: KAGY

Permit File Number: BP-20200428AAA

Grant Date: August 12, 2020

This permit expires 3:00 a.m.
 local time, 36 months after the
 grant date specified above.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Daytime

Average hours of sunrise and sunset:
 Local Standard Time (Non-Advanced)

Jan.	7:00 AM	5:15 PM	Jul.	5:15 AM	7:00 PM
Feb.	6:45 AM	5:45 PM	Aug.	5:30 AM	6:45 PM
Mar.	6:15 AM	6:00 PM	Sep.	5:45 AM	6:00 PM
Apr.	5:30 AM	6:30 PM	Oct.	6:00 AM	5:30 PM
May	5:00 AM	6:45 PM	Nov.	6:30 AM	5:00 PM
Jun.	5:00 AM	7:00 PM	Dec.	6:45 AM	5:00 PM

Callsign: KAGY

Permit No.: BP-20200428AAA

Name of Permittee: SPOTLIGHT BROADCASTING OF NEW ORLEANS, LLC

Station Location: PORT SULPHUR, LA

Frequency (kHz): 1510

Station Class: D

Antenna Coordinates:

Day

Latitude: N 29 Deg 29 Min 03 Sec

Longitude: W 89 Deg 42 Min 15 Sec

Critical

Latitude: N 29 Deg 29 Min 03 Sec

Longitude: W 89 Deg 42 Min 15 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 3.8 Critical: 0.84

Antenna Mode: Day: ND Critical: ND

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Antenna Registration Number(s):

Day:

Tower No.	ASRN	
1	None	55.2

Critical:

Tower No.	ASRN	
1	None	55.2

Non-Directional Antenna: Day

Radiator Height: 54.3 meters; 98.4 deg

Theoretical Efficiency: 311.19 mV/m/kw at 1km

Non-Directional Antenna: Critical

Radiator Height: 54.3 meters; 98.4 deg

Theoretical Efficiency: 311.19 mV/m/kw at 1km

Special operating conditions or restrictions:

- 1 Permittee shall install a type accepted transmitter, or submit application (FCC Form 301) along with data prescribed in Section 73.1660(b) should non-type accepted transmitter be proposed.
- 2 A license application (FCC Form 302) to cover this construction permit must be filed with the Commission pursuant to Section 73.3536 of the Rules before the permit expires.
- 3 Licensee shall be responsible for satisfying all reasonable complaints of blanketing interference within the 1 V/m contour as required by Section 73.88 of the Commission's rules.
- 4 The permittee/licensee must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.
- 5 The common daytime/critical hours antenna system consists of one (1) nondirectional vertical guyed uniform cross-section grounded steel tower. The electrical height of the tower is 98.4 degrees or 54.27 meters. The tower steel is mounted on a 0.914 meter base for a total height above ground of 55.2 meters.
- 6 The proposed ground system will consist of 120 buried copper radials, extending on average no less than 49.7 meters (163.0 feet) in length, or 90.0° in electrical length, about the base of the tower. The material used for the radials will be #10 AWG, soft drawn copper wire or equivalent.

*** END OF AUTHORIZATION ***