Federal Communications Commission Washington, D. C. 20554

REMITTANCE.

Approved by OMB 3060-0627 Expires 01/31/98

FCC 302-AM APPLICATION FOR AM BROADCAST STATION LICENSE

FOR FCC	
USE ONLY	

FOR COMMISSION USE ONLY

(Please read instructions before filling out form.	FILE NO.			
SECTION I - APPLICANT FEE INFORMATION	<u>-</u>			
PAYOR NAME (Last, First, Middle Initial)				
MAILING ADDRESS (Line 1) (Maximum 35 characters)				
MAILING ADDRESS (Line 2) (Maximum 35 characters)				
CITY	STATE OR COUNTRY (if fo	oreign address)	ZIP CODE	
TELEPHONE NUMBER (include area code)	CALL LETTERS	OTHER FCC IDE	NTIFIER (If applicable)	
2. A. Is a fee submitted with this application?			Yes No	
B. If No, indicate reason for fee exemption (see 47 C.F.R. Section Governmental Entity Noncommercial educational licensee Other (Please explain): non-feeable application				
Enter in Column (A) the correct Fee Type Code for the service you a Fee Filing Guide." Column (B) lists the Fee Multiple applicable for the service (A) (B)	is application. Enter fee amou (C) FEE DUE FOR FE	unt due in Column (C	S).	
FEE TYPE FEE MULTIPLE 0 0 0 1	TYPE CODE IN COLUMN (A)		FOR FCC USE ONLY	
To be used only when you are requesting concurrent actions which re-	sult in a requirement to list mo	re than one Fee Typ	pe Code.	
(A) (B) (B) 1	(C)		FOR FCC USE ONLY	
ADD ALL AMOUNTS SHOWN IN COLUMN C, AND ENTER THE TOTAL HERE. THIS AMOUNT SHOULD FOUND YOUR ENCLOSED.	TOTAL AMOUNT REMITTED WITH TH APPLICATION		FOR FCC USE ONLY	

0=0=10111 1=011011						
1. NAME OF APPLICANT	TINFORMATION					
MAILING ADDRESS						
CITY			STATE		ZIP CODE	
2. This application is for:	Commercial AM Direction	onal	☐ Noncomm	nercial on-Directional		
Call letters	Community of License C	onstructi	ion Permit File No.	Modification of Construction Permit File No(s).	Expiration Date of Last Construction Permit	
3. Is the station n accordance with 47 C.F		autor	matic program	test authority in	Yes No Exhibit No.	
construction permit bee	·	ions se	et forth in the	above described	Yes No	
If No, state exceptions i	n an Exhibit.					
the grant of the under representation containe	ges already reported, has a lying construction permit w d in the construction permit	vhich v	vould result in a	any statement or	Yes No Exhibit No.	
If Yes, explain in an Ex	hibit.					
•	6. Has the permittee filed its Ownership Report (FCC Form 323) or ownership certification in accordance with 47 C.F.R. Section 73.3615(b)?					
If No, explain in an Exhi	If No, explain in an Exhibit.					
7. Has an adverse finding been made or an adverse final action been taken by any court or administrative body with respect to the applicant or parties to the application in a civil or criminal proceeding, brought under the provisions of any law relating to the following: any felony; mass media related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination?						
involved, including an id (by dates and file num information has been required by 47 U.S.C. S of that previous submis the call letters of the st	attach as an Exhibit a full dentification of the court or obers), and the disposition earlier disclosed in connection 1.65(c), the applicant is sion by reference to the file tation regarding which the of filing; and (ii) the disposit	admini of the ection nt need e numb applica	strative body an litigation. Whe with another a lonly provide: (in the case lation or Section	nd the proceeding nere the requisite application or as i) an identification of an application, 1.65 information	Exhibit No.	

the expanded band (1605-1705 kHz) or a permit or license either in the existing band or expanded band that is held in combination (pursuant to the 5 year holding period allowed) with the AM facility proposed to be modified herein?		
If Yes, provide particulars as an Exhibit.	Exhibit No.	
The APPLICANT hereby waives any claim to the use of any particular frequency or of the elect against the regulatory power of the United States because use of the same, whether by lice requests and authorization in accordance with this application. (See Section 304 of the Communication). The APPLICANT acknowledges that all the statements made in this application and attached material representations and that all the exhibits are a material part hereof and are incorporated by the communication of the communication of the elect against the regulatory power of the united States because use of the same, whether by lice requests and authorization in accordance with this application. (See Section 304 of the Communication).	cense or other nications Act of exhibits are c	wise, and f 1934, as onsidered
CERTIFICATION		
1. By checking Yes, the applicant certifies, that, in the case of an individual applicant, he or she is not subject to a denial of federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. Section 862, or, in the case of a non-individual applicant (e.g., corporation, partnership or other unincorporated association), no party to the application is subject to a denial of federal benefits that includes FCC benefits pursuant to that section. For the definition of a "party" for these purposes, see 47 C.F.R. Section 1.2002(b).	Yes	No
2. I certify that the statements in this application are true, complete, and correct to the best of m and are made in good faith.	y knowledge a	nd belief,
Name Signature) coin	
Title Date Telephone	Number	

8. Does the applicant, or any party to the application, have a petition on file to migrate to

WILLFUL FALSE STATEMENTS ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION

FCC NOTICE TO INDIVIDUALS REQUIRED BY THE PRIVACY ACT AND THE PAPERWORK REDUCTION ACT

The solicitation of personal information requested in this application is authorized by the Communications Act of 1934, as amended. The Commission will use the information provided in this form to determine whether grant of the application is in the public interest. In reaching that determination, or for law enforcement purposes, it may become necessary to refer personal information contained in this form to another government agency. In addition, all information provided in this form will be available for public inspection. If information requested on the form is not provided, the application may be returned without action having been taken upon it or its processing may be delayed while a request is made to provide the missing information. Your response is required to obtain the requested authorization.

Public reporting burden for this collection of information is estimated to average 639 hours and 53 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, can be sent to the Federal Communications Commission, Records Management Branch, Paperwork Reduction Project (3060-0627), Washington, D. C. 20554. Do NOT send completed forms to this address.

THE FOREGOING NOTICE IS REQUIRED BY THE PRIVACY ACT OF 1974, P.L. 93-579, DECEMBER 31, 1974, 5 U.S.C. 552a(e)(3), AND THE PAPERWORK REDUCTION ACT OF 1980, P.L. 96-511, DECEMBER 11, 1980, 44 U.S.C. 3507.

SECTION III - LI Name of Applicar		LICATION ENGII	NEERING DATA				
PURPOSE OF A	UTHORIZATIO	N APPLIED FOR	(check one)				
	Station License		Direct Mea	asurement of Pow	er		
1. Facilities author	orized in const	ruction permit					
Call Sign	File No. of Co (if applicable)	nstruction Permit	Frequency (kHz)	Hours of Opera	ation	Power in Night	kilowatts Day
Station location	n						
State				City or Town			
3. Transmitter loc	cation						
State	County			City or Town		Street address (or other identific	ation)
4. Main studio lo	cation						
State	County			City or Town		Street address (or other identific	ation)
5. Remote contro	ol point location	n (specify only if au	uthorized direction	nal antenna)		<u> </u>	
State	County			City or Town		Street address (or other identific	ation)
7. Does the sam Attach as an Ex	pling system m	enerating equipment neet the requireme	nts of 47 C.F.R. S	Section 73.68?			es No es No Not Applicable ibit No.
8. Operating con		ırrent (in amperes)	without	DE common no	nint or antonna	current (in ampere	oc) without
modulation for nig		irrent (iir amperes)	without	modulation for		current (in ampere	s) without
Measured antenn operating frequen Night		ooint resistance (in Day	ohms) at	Measured ante operating freque Night		n point reactance (Day	(in ohms) at
Antenna indicatio	ns for direction		-	·			
Antenna monitor Antenna monitor sample Towers Phase reading(s) in degrees current ratio(s) Antenna base cur				ase currents			
		Night	Day	Night	Day	Night	Day
Manufacturer and	type of anteni	na monitor:					

SECTION III - Page 2

Description of antended the array. Use separate	na system ((f directional anter e sheets if necessary.)	nna is used, the	e information r	equested below should be g	given for each element of			
Type Radiator	Overall height in meters of radiator above base insulator, or above base, if grounded.	Overall heigh above ground obstruction lig	d (without	Overall height in meters above ground (include obstruction lighting)	If antenna is either top loaded or sectionalized, describe fully in an Exhibit. Exhibit No.			
Excitation	Excitation Series Shunt							
Geographic coordinates tower location.	to nearest second. For direc	tional antenna	give coordinate	es of center of array. For si	ngle vertical radiator give			
North Latitude	0	II	West Longitu	de ⁰	1 11			
=	ove, attach as an Exhibit furt wer and associated isolation c		l dimensions ir	ncluding any other	Exhibit No.			
Also, if necessary for dimensions of ground sy	a complete description, attac ystem.	ch as an Exhi	bit a sketch o	of the details and	Exhibit No.			
10. In what respect, if a permit?	any, does the apparatus const	ructed differ fro	om that describ	ed in the application for cor	nstruction permit or in the			
11. Give reasons for the	e change in antenna or comm	on point resista	ance.					
	t the applicant in the capacity true to the best of my knowle			nave examined the foregoin	ng statement of technical			
Name (Please Print or T	Type)	;		ck appropriate box below)				
Address (include ZIP Co	ode)	ı	Date					
		-	Telephone No.	(Include Area Code)				
Technical Director			Registere	d Professional Engineer				
Chief Operator			Technical	Consultant				
Other (specify)								

FCC 302-AM (Page 5) August 1995

Engineering Statement

in support of

FCC Form 302-AM

March, 2020



licensed to:

Davis Broadcasting, Inc of Columbus

prepared by:

Michael Patton & Associates Baton Rouge, Louisiana www.michaelpatton.com



Engineering Statement in Support of Form 302-AM

Overview:

Davis Broadcasting, Inc of Columbus, licensee of WIOL and WOKS, both licensed to Columbus, Georgia, is the holder of Construction Permit #BNPFT-20180323AAL, granting them authority to construct an FM translator, call sign W283DF. The antenna for this translator is side-mounted near the top of the tower for WIOL and WOKS, which are diplexed into one tower. This installation has been completed, but the addition to the FM antenna and associated isolation circuits caused an unavoidable change in base impedance and required that the diplexer and tuning unit be adjusted for optimum suppression and proper impedance matching to the transmitter. They contracted with my firm, Michael Patton & Associates, to retune the diplexer and to prepare the instant Form 302 and exhibits, notifying the Commission of the changed base impedance and requesting direct measurement or power. Concurrently with this filing, a separate Form 302 requesting direct measurement of power for WOKS is also being filed. All work has been completed; the details are discussed below.

<u>Description of translator installation:</u>

The translator's antenna is a 2-bay Shiveley, side-mounted near the top of the WIOL/WOKS tower, but it does not extend past the top of the tower. A 7/8" flexible coax carries the FM signal to the antenna, and an iso-coupler from Kintronics Laboratories is used to pass that signal across the base insulator. After the installation of this equipment, the diplexer filters were retuned for maximum isolation, the ATU networks were tuned for good coax impedance matching, and new base impedance measurements were made.

Intermodulation Product Measurements:

After the modifications were completed, field measurements were made on all second, third, and fifth order intermodulation products at a location about ½ km from the array; all were found to be below the FCC limits for such emissions. These results are shown in this exhibit. No other intermod products were observed during a careful sweep of the entire relevant spectrum on both a car radio, a spectrum analyzer, and a Potomac FIM-41.

Conclusions:

The W283DF translator installation, and the retuning of the WIOL/WOKS diplexer, have been completed in a professional manner. All suppression requirements have been met. The instant application has been carefully prepared in all particulars and should be granted.

Respectfully Submitted,

George Michael Patton

I mus Posts

Michael Patton & Associates

March 24, 2020

Engineering Statement in Support of Form 302-AM

Antenna Impedance & Currents:

<u>Measurement</u>	Impedance:	<u>Day</u>	Day	<u>Night</u>	<u>Night</u>
Point:		Power:	Current:	Power:	Current:
input to diplexer filter	27 -j 21 Ohms	1.0 kW	6.09 A	1.0 kW	6.09 A

Intermodulation measurements:

F1 (WOKS):	Signal level:	F2 (WIOL):	Signal level:
1340 kHz	390 m\//m	1580 kHz	550 mV/m

Product type:	Frequency:	Measured signal:	Calculated Suppression:
F1 - F2	240 kHz	-100 dBm	-75 dBc (see note 2)
F1 + F2	2920 kHz	29 μV/m	-83 dBc
2F1 - F2	1100 kHz	72 μV/m	-75 dBc
2F1 + F2	4260 kHz	18 μV/m	-87 dBc
2F2 - F1	1820 kHz	70 μV/m	-75 dBc
2F2 + F1	4500 kHz	25 μV/m	-84 dBc
3F1 - 2F2	860 kHz	22 μV/m	-85 dBc
3F2 - 2F1	2060 kHz	<10 µV/m	<-98 dBc

Notes:

- 1. All measurements were made in accordance with Section 73.44(d) of the FCC Rules. Readings were taken at a distance of approximately 1 kilometer from the tower, with WOKS operating at its licensed power level of 1.0 kW and WIOL operating at its licensed daytime power level of 2.1 kW.
- 2. All signals were measured using a Potomac FIM-41, S/N 2208, except for the 240 kHz signal, which was measured with an Anritsu MS2712E spectrum analyzer with a broadband shielded loop antenna. The analyzer measured the WOKS carrier level at -25 dBm.
- 3. Calculated suppression levels are shown relative to the WOKS carrier. The required suppression for a 1.0 kW station is greater than 73 dB below carrier level, as per 73.44(b) of the FCC Rules. Calculating the suppression level relative to the WIOL carrier level also shows suppression ratios below the limit of -76 dBc for a 2.1 kW station.