



**United States of America**  
**FEDERAL COMMUNICATIONS COMMISSION**  
**AM BROADCAST STATION LICENSE**

Authorizing Official:



Official Mailing Address:

---

EL SEMBRADOR MINISTRIES  
 POST OFFICE BOX 471  
 SAN FERNANDO CA 91341

---



---

Son Nguyen  
 Supervisory Engineer  
 Audio Division  
 Media Bureau

---

Facility Id: 35069

Call Sign: KLO

License File Number: BML-20200817AAH

Grant Date: October 23, 2020

This license expires 3:00 a.m.  
 local time, October 01, 2021.

This license modifies license no.: BMML-20100329AFW  
 Change the status from Commercial to Non-commercial Education

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:  
 Local Standard Time (Non-Advanced)

Jan.	7:45 AM	5:30 PM	Jul.	5:15 AM	8:00 PM
Feb.	7:30 AM	6:00 PM	Aug.	5:30 AM	7:30 PM
Mar.	6:45 AM	6:30 PM	Sep.	6:00 AM	6:45 PM
Apr.	5:45 AM	7:00 PM	Oct.	6:45 AM	5:45 PM
May	5:15 AM	7:45 PM	Nov.	7:15 AM	5:15 PM
Jun.	5:00 AM	8:00 PM	Dec.	7:45 AM	5:00 PM

Name of Licensee: EL SEMBRADOR MINISTRIES

Station Location: OGDEN, UT

Frequency (kHz): 1430

Station Class: B

Antenna Coordinates:

Day

Latitude: N 41 Deg 02 Min 49 Sec

Longitude: W 112 Deg 01 Min 37 Sec

Night

Latitude: N 41 Deg 02 Min 49 Sec

Longitude: W 112 Deg 01 Min 37 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 25.0 Night: 5.0

Antenna Input Power (kW): Day: 26.3 Night: 5.4

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 22.9 Night: 10.4

Resistance (ohms): Day: 50 Night: 50

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1235889	
2	1235890	
3	1235891	
4	1235892	

Night:

Tower No.	ASRN	Overall Height (m)
1	1235889	
2	1235890	
3	1235891	
4	1235892	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 1802.56 Night: 735.04

Standard RMS (mV/m/km): Day: 1893.42 Night: 772.23

Augmented RMS (mV/m/km):

Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.3440	18.900	0.0000	0.000	0	146.7
2	1.0000	0.000	85.1000	240.700	0	183.1
3	1.0000	70.700	235.7000	271.000	0	151.8
4	0.1870	200.800	218.3000	310.400	0	149.2

\* Tower Reference Switch

- 0 = Spacing and orientation from reference tower
- 1 = Spacing and orientation from previous tower

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	146.7
2	0.8650	91.200	85.1000	240.700	0	183.1
3	0.8320	65.200	235.7000	271.000	0	151.8
4	0.5590	23.900	218.3000	310.400	0	149.2

\* Tower Reference Switch

- 0 = Spacing and orientation from reference tower
- 1 = Spacing and orientation from previous tower

Day Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	17	0.441
2	0	1
3	69.7	1.269
4	-159.4	0.239

Night Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	0	1
2	91.5	0.665
3	65.3	0.825

Night Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
4	23.7	0.549

Antenna Monitor: POTOMAC INSTRUMENTS MODEL 1901

Sampling System Approved Under Section 73.68 of the Rules.

Special operating conditions or restrictions:

- 1 The permittee/licensee must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.
  
- 2 Licensee shall be responsible for satisfying all reasonable complaints of blanketing interference within the 1 V/m contour as required by Section 73.88 of the Commission's rules.
  
- 3 Grant of this license application is conditioned on continuous operations of the licensed facility for the twelve-month period following grant. The failure to so operate will result in the rescission of this grant, dismissal of the license application and the forfeiture of the associated construction permit pursuant to 47 C.F.R. § 73.3598(e) unless the licensee rebuts the presumption that the authorized facilities were temporarily constructed.

\*\*\* END OF AUTHORIZATION \*\*\*