



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Son Nguyen

Official Mailing Address:

MULTICULTURAL RADIO BROADCASTING LICENSEE, LI Son Nguyen
 27 WILLIAM STREET
 11TH FLOOR
 NEW YORK NY 10005

Supervisory Engineer
 Audio Division
 Media Bureau

Facility Id: 54506

Call Sign: WLXE

Permit File Number: BP-20210423AAJ

Grant Date: July 27, 2021

This permit expires 3:00 a.m. local time, 36 months after the grant date specified above.

Permit to change from DA to ND at night using existing daytime tower, and correct site coordinates.

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Hours of Operation: Daytime with Secondary nighttime

Average hours of sunrise and sunset:
 Local Standard Time (Non-Advanced)

Jan.	7:30 AM	5:15 PM	Jul.	5:00 AM	7:30 PM
Feb.	7:00 AM	5:45 PM	Aug.	5:15 AM	7:00 PM
Mar.	6:15 AM	6:15 PM	Sep.	5:45 AM	6:15 PM
Apr.	5:30 AM	6:45 PM	Oct.	6:15 AM	5:30 PM
May	5:00 AM	7:15 PM	Nov.	6:45 AM	5:00 PM
Jun.	4:45 AM	7:30 PM	Dec.	7:15 AM	4:45 PM

Callsign: WLXE

Permit No.: BP-20210423AAJ

Name of Permittee: MULTICULTURAL RADIO BROADCASTING LICENSEE, LLC

Station Location: ROCKVILLE, MD

Frequency (kHz): 1600

Station Class: D

Antenna Coordinates:

Day

Latitude: N 39 Deg 05 Min 51 Sec

Longitude: W 77 Deg 09 Min 07 Sec

Night

Latitude: N 39 Deg 05 Min 51 Sec

Longitude: W 77 Deg 09 Min 07 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 1.0 Night: 0.009

Antenna Mode: Day: ND Night: ND

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1036851	

Night:

Tower No.	ASRN	Overall Height (m)
1	1036851	

Non-Directional Antenna: Day

Radiator Height: 60.9 meters; 117 deg

Theoretical Efficiency: 323.48 mV/m/kw at 1km

Non-Directional Antenna: Night

Radiator Height: 60.9 meters; 117 deg

Theoretical Efficiency: 323.48 mV/m/kw at 1km

Special operating conditions or restrictions:

- 1 Permittee shall install a type accepted transmitter, or submit application (FCC Form 301) along with data prescribed in Section 73.1660(b) should non-type accepted transmitter be proposed.

- 2 A license application (FCC Form 302) to cover this construction permit must be filed with the Commission pursuant to Section 73.3536 of the Rules before the permit expires.

- 3 Ground system consists of 120 equally spaced, buried, copper radials about the base of each tower, each 46.9 meters in length, plus a copper ground screen 9.8 meters square, about the base of the tower.

- 4 Before program tests are authorized, permittee shall dismantle the two additional existing unused towers, or in lieu thereof, submit a proof of performance to establish that the proposed radiation pattern is essentially omnidirectional. The proof shall include at least six approximately equally-spaced radials with sufficient close-in points that the inverse distance fields can be clearly established.

*** END OF AUTHORIZATION ***