Federal Communications Commission Washington, D. C. 20554

REMITTANCE.

Approved by OMB 3060-0627 Expires 01/31/98

# **FCC 302-AM APPLICATION FOR AM BROADCAST STATION LICENSE**

FOR FCC USE ONLY	
USE ONLY	

FOR COMMISSION USE ONLY

(Please read instructions before filling out form.	FILE NO.						
SECTION I - APPLICANT FEE INFORMATION							
1. PAYOR NAME (Last, First, Middle Initial)							
ASIAN AMERICAN BROADCASTING, LLC							
MAILING ADDRESS (Line 1) (Maximum 35 characters) 636 MONTANA AVE E							
MAILING ADDRESS (Line 2) (Maximum 35 characters)							
ST. PAUL	STATE OR COUNTRY (if foreign addres MN	zip code 55130					
TELEPHONE NUMBER (include area code) 612 810 6412	CALL LETTERS OTHER FO	CC IDENTIFIER (If applicable)					
2. A. Is a fee submitted with this application?		✓ Yes No					
B. If No, indicate reason for fee exemption (see 47 C.F.R. Section							
Governmental Entity Noncommercial educa	ational licensee Other (Please	explain):					
C. If Yes, provide the following information:							
Enter in Column (A) the correct Fee Type Code for the service you ar							
Fee Filing Guide." Column (B) lists the Fee Multiple applicable for this	application. Enter lee amount due in Col	umm (C).					
(A) (B)	(C)						
FEE TYPE FEE MULTIPLE	FEE DUE FOR FEE TYPE CODE IN	FOR FCC USE ONLY					
M M R 0 0 0 1	\$ 645.00						
	4 0 10.00						
To be used only when you are requesting concurrent actions which result in a requirement to list more than one Fee Type Code.							
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	(C)	FOR FCC USE ONLY					
	<u> </u>						
ADD ALL AMOUNTS SHOWN IN COLUMN C,	TOTAL AMOUNT REMITTED WITH THIS APPLICATION	FOR FCC USE ONLY					
AND ENTER THE TOTAL HERE. THIS AMOUNT SHOULD EQUAL YOUR ENCLOSED	\$ 645.00						

SECTION II - APPLICANT INFORMATION							
NAME OF APPLICANT     ASIAN AMERICAN BROADCASTING, LLC							
MAILING ADDRESS 636 MONTANA AVE E							
CITY ST. PAUL			STATE MN		ZIP CODE 55130		
2. This application is for:	Commercial AM Direc	[ etional	Noncomm  AM N	nercial on-Directional			
Call letters	Community of License	Construct	ion Permit File No.	Modification of Construction	Expiration Date of Last		
KFXN	ST. PAUL	BP-20	201013AAF	Permit File No(s).	Construction Permit 1/14/2024		
3. Is the station no accordance with 47 C.F.  If No, explain in an Exhi		to autoi	matic program	test authority in	Yes No  Exhibit No.		
4. Have all the terms construction permit been	s, conditions, and oblig n fully met?	ations s	et forth in the	above described	Yes No  Exhibit No.		
If No, state exceptions in	n an Exhibit.						
the grant of the underl	ges already reported, ha lying construction permit d in the construction perr	t which v	would result in a	any statement or	Yes V No		
If Yes, explain in an Ex	·				Exhibit No.		
	led its Ownership Report ce with 47 C.F.R. Sectior	•	•	ership	Yes No		
If No, explain in an Exhi	bit.				Does not apply  Exhibit No.		
7. Has an adverse finding been made or an adverse final action been taken by any court or administrative body with respect to the applicant or parties to the application in a civil or criminal proceeding, brought under the provisions of any law relating to the following: any felony; mass media related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination?							
involved, including an ice (by dates and file num information has been required by 47 U.S.C. Sof that previous submist the call letters of the state	attach as an Exhibit a fudentification of the court of bers), and the disposition earlier disclosed in confection 1.65(c), the application by reference to the tation regarding which the filling; and (ii) the disposition is an exhibit at the disposition of the disposition is an exhibit at the disposition is a conference of the disposition is an exhibit at the di	or adminition of the nnection cant need file number application	istrative body ar litigation. Wh with another a lonly provide: ( ber in the case ation or Section	nd the proceeding nere the requisite application or as i) an identification of an application, 1.65 information	Exhibit No.		

If Yes, provide particulars as an Exhibit.		Exhibit No.				
The APPLICANT hereby waives any claim to the use of any against the regulatory power of the United States because requests and authorization in accordance with this application amended).	e use of the same, whether by li	cense or otherwise, and				
The APPLICANT acknowledges that all the statements made in this application and attached exhibits are considered material representations and that all the exhibits are a material part hereof and are incorporated herein as set out in full in						
CERTIFIC	CATION					
1. By checking Yes, the applicant certifies, that, in the case of an individual applicant, he or she is not subject to a denial of federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. Section 862, or, in the case of a non-individual applicant (e.g., corporation, partnership or other unincorporated association), no party to the application is subject to a denial of federal benefits that includes FCC benefits pursuant to that section. For the definition of a "party" for these purposes, see 47 C.F.R. Section 1.2002(b).						
Name Kongsue Xiong	Signature					
President		e Number 810-6412				
WILLFUL FALSE STATEMENTS ON THIS FORM AR	RE PUNISHABLE BY FINE AND/O	OR IMPRISONMENT				

8. Does the applicant, or any party to the application, have a petition on file to migrate to the expanded band (1605-1705 kHz) or a permit or license either in the existing band or expanded band that is held in combination (pursuant to the 5 year holding period allowed)

with the AM facility proposed to be modified herein?

# WILLFUL FALSE STATEMENTS ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION

FCC NOTICE TO INDIVIDUALS REQUIRED BY THE PRIVACY ACT AND THE PAPERWORK REDUCTION ACT

The solicitation of personal information requested in this application is authorized by the Communications Act of 1934, as amended. The Commission will use the information provided in this form to determine whether grant of the application is in the public interest. In reaching that determination, or for law enforcement purposes, it may become necessary to refer personal information contained in this form to another government agency. In addition, all information provided in this form will be available for public inspection. If information requested on the form is not provided, the application may be returned without action having been taken upon it or its processing may be delayed while a request is made to provide the missing information. Your response is required to obtain the requested authorization.

Public reporting burden for this collection of information is estimated to average 639 hours and 53 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, can be sent to the Federal Communications Commission, Records Management Branch, Paperwork Reduction Project (3060-0627), Washington, D. C. 20554. Do NOT send completed forms to this address.

THE FOREGOING NOTICE IS REQUIRED BY THE PRIVACY ACT OF 1974, P.L. 93-579, DECEMBER 31, 1974, 5 U.S.C. 552a(e)(3), AND THE PAPERWORK REDUCTION ACT OF 1980, P.L. 96-511, DECEMBER 11, 1980, 44 U.S.C. 3507.

Yes V No

Name of Applicant Asian American Broadcasting, LLC								
PURPOSE OF A	UTHORIZATIC	N APPLIED FOR	: (check one)					
X s	Station License		Direct Meas	surement of Pow	ver			
1. Facilities author	orized in constr	uction permit						
Call Sign		nstruction Permit		Hours of Opera		Power in	kilowatts	
KFXN	(if applicable) BP-20201	013AAF	( <sup>kHz)</sup> 690 kHz	unlimited	time	Night 0.005	Day 1.7	
2. Station locatio	Station location							
State Minn	esota			City or Town	Minneapol	is		
3. Transmitter lo	cation							
State MN	County He	nnepin		City or Town New Hop	e	Street address (or other identific 7908 - 36th A	ation) ve. N	
4. Main studio lo	cation							
State County No Longer Required			City or Town		Street address (or other identific	ation)		
5. Remote contro	ol point location	ı (specify only if aı	uthorized direction	al antenna)				
State	State County Not Applicable			City or Town  Street address (or other identification)			ation)	
6. Has type-approved stereo generating equipment been installed?  7. Does the sampling system meet the requirements of 47 C.F.R. Section 73.68?  Yes No No Not Applicable  Attach as an Exhibit a detailed description of the sampling system as installed. Not Applicable  Exhibit No.								
8. Operating con		rrent (in amperes)	\ without	DE common n	oint or ontonno	current (in ampere	oo) without	
modulation for nig	ght system	Output Mete		modulation for	day system	er Output Met	•	
		ooint resistance (ir	ohms) at			point reactance (	in ohms) at	
operating frequen	icy	Day 50		operating frequency	-	Day ,		
50.0		50.0	)	+/- J	0	+/- \	J O	
Antenna indicatio	ns for direction	al operation				_		
Towe	rs	Antenna Phase reading		Antenna mo current	nitor sample ratio(s)	Antenna b	ase currents	
		Night	Day	Night	Day	Night	Day	
Manufacturer and	I type of antenr	na monitor:						

## SECTION III - Page 2

Uniform Cross radiator above base abo	erall height in meters ove ground (without struction lighting)	Overall height in meter above ground (include obstruction lighting)  95.1 M	
Excitation Series	Shunt		
Geographic coordinates to nearest second. For directiona tower location.	I antenna give coordina	tes of center of array. F	or single vertical radiator give
North Latitude 45 ° 01 '	24" West Longitu	ıde 93 °	22 ' 53 "
If not fully described above, attach as an Exhibit further dantenna mounted on tower and associated isolation circuit Also, if necessary for a complete description, attach as dimensions of ground system.	S.	encerte and pro-	Eng Stmt.  Exhibit No. Eng Stmt
<ul> <li>10. In what respect, if any, does the apparatus constructe permit?         None - See attached engineering sta     </li> <li>11. Give reasons for the change in antenna or common portion.         Change from Directional to Non-Direction.     </li> </ul>	atement  pint resistance.	oed in the application fo	or construction permit or in the
I certify that I represent the applicant in the capacity indi information and that it is true to the best of my knowledge	and belief.	1	
Name (Please Print or Type) Benj. F. Dawson III	Signature (che	ck appropriate box below	OW)
Address (include ZIP Code) c/o Hatfield & Dawson Consulting Engineer 9500 Greenwood Ave. N. Seattle, WA 98103	S Date Augus	t 6, 2021 (Include Area Code)	
	206 783 9	251 ext 108	
Technical Director	X Registere	ed Professional Enginee	er .
Chief Operator	Technica	l Consultant	
X Other (specify) Consulting Engineer			

FCC 302-AM (Page 5) August 1995 ASIAN AMERICAN BROADCASTING, LLC AM Station KFXN, Fac ID 10141, St. Paul MN Form 302-AM Application for License Covering FCC File No. BP-20201013AAF Response to Section II, Item 3 August 2021

#### **EXHIBIT 1**

#### REQUEST FOR PROGRAM TEST AUTHORITY

KFXN is not now operating pursuant to Automatic Program Test Authority because special operating condition number 3 of the underlying construction permit requires the submission of a separate showing, which is provided in the engineering statement.

Accordingly, Program Test Authority is respectfully requested.

STEPHEN S. LOCKWOOD, PE, PMP

THOMAS M. ECKELS, PE THOMAS S. GORTON, PE

JAMES B. HATFIELD, PE BENJAMIN F. DAWSON III, PE ERIK C. SWANSON, PE, PMP DAVID J. PINION, PE STEPHEN PUMPLE, M.Eng, MBA, PMP CONSULTANTS HATFIELD & DAWSON CONSULTING ELECTRICAL ENGINEERS 9500 GREENWOOD AVE. N. SEATTLE, WASHINGTON 98103

TELEPHONE (206) 783-9151 FACSIMILE (206) 789-9834 E-MAIL hatdaw@hatdaw.com

> Maury L. Hatfield, PE (1942-2009) Paul W. Leonard, PE (1925-2011)

### **ENGINEERING STATEMENT**

Radio Station KFXN Minneapolis, MN Facility ID # 10141

BP-20201013AAF
Construction Permit Condition #3
And Related License Application Matters

August 6, 2021

#### **ENGINEERING STATEMENT**

The outstanding construction permit BP-20201013AAF contains as condition 3 the following requirement:

"Before program tests are authorized, permittee shall dismantle the unused taller tower, or in lieu thereof, submit a proof of performance to establish that the proposed radiation pattern is essentially omnidirectional. The proof shall include at least six approximately equally-spaced radials with sufficient close-in points that the inverse distance fields can be clearly established."

If the now unused western tower were new construction it would come under the requirements of §1.30002 of the rules:

- "§1.30002(a) Proponents of construction or significant modification of a tower which is within one wavelength of a nondirectional AM station, and is taller than 60 electrical degrees at the AM frequency, must notify the AM station at least 30 days in advance of the commencement of construction. The proponent shall examine the potential impact of the construction or modification as described in paragraph (c) of this section. If the construction or modification would distort the radiation pattern by more than 2 dB,
- (c) Proponents of construction or significant modification of a tower within the distances defined in paragraphs (a) and (b) of this section of an AM station shall examine the potential effects thereof using a moment method analysis. The moment method analysis shall consist of a model of the AM antenna together with the potential re-radiating tower in a lossless environment. The model shall employ the methodology specified in §73.151(c) of this chapter, except that the AM antenna elements may be modeled as a series of thin wires driven to produce the required radiation pattern, without any requirement for measurement of tower impedances."

This now unused tower is 90 electrical degrees in height (75.8° physical,  $14.2^{\circ}$  toploading), and is located at a bearing of 285 degrees true at a distance of 200 degrees from the newly authorized omnidirectional antenna. The attached moment method model results, prepared per the requirements of §1.30002, demonstrate that the isolated ("floated") unused tower, whose only termination is the base insulator capacitance, modifies the KFXN omnidirectional pattern by only +0.43 dB/-0.11 dB from the RMS value, in complete compliance with the §1.30002 requirement, and fully meeting the requirement of condition 3 of the construction permit.

FCC Form 302-AM Paragraph 9 requests data on other antennas on the authorized antenna tower, and ground system details. The 1035301 ARN tower also supports the antennas of KMWA(FM) and K285CQ, and no changes in the operation of these two facilities has occurred. The ground system is unchanged from that of the licensed 3 element directional antenna, with 120 radials each 90+ degrees in length around each tower.

The Nautel ND1 and NX3 transmitters employed by KFXN have true power output metering, values for which are shown in paragraph 8 of the Form 302, per §73.51(a)(1) of the Commission's rules.

August 6, 2021

Benj. F. Dawson III, P.E.

E:\KFXN\kfxn rerad 07-30-2021 20:23:08

GEOMETRY

Wire coordinates in degrees; other dimensions in meters Environment: perfect ground

wire	caps	Distance	Angle	Z	radius	segs
1	none	0	0	0	.291	20
		0	0	90.		
2	none	200.	285.	0	.291	20
		200.	285.	90.		

Number of wires = 2 current nodes = 40

	mini	mum	max	imum
Individual wires	wire	value	wire	value
segment length	1	4.5	1	4.5
radius	1	.291	1	.291

ELECTRICAL DESCRIPTION

Frequencies (KHz)

	frequency		no. of	segment lengt	h (wavelengths)
no.	lowest	step	steps	minimum	maximum
1	690.	0	1	.0125	.0125

Sources

source	node	sector	magnitude	phase	type
1	1	1	1.	0	voltage

Lumped loads

		resistance	reactance	inductance	capacitance	passive
load	node	(ohms)	(ohms)	(mH)	(uF)	circuit
1	21	0	-9,500.	0	0	0

RADIATION PATTERN rms geographic coordinate system

Radial distance (meters) = 1,000.

Frequency = 690. KHz

Input power = 1,700. watts

Efficiency = 100. %

Efficiency					
elevation	azimuth	E-theta		E-ph	
angle	angle	_	phase (deg)	mag	(mv/m) phase
0	0	394.94	58.9	0	0
0	5.	395.139	59.5	0	0
0	10.	396.492	60.	0	0
0	15.	398.893	60.4	0	0
0	20.	402.101	60.7	0	0
0	25.	405.775	60.9	0	0
0	30.	409.54	60.9	0	0
0	35.	413.039	60.7	0	0
0	40.	415.99	60.4	0	0
0	45.	418.209	60.1	0	0
0	50.	419.62	59.7	0	0
0	55.	420.248	59.3	0	0
0	60.	420.191	58.9	0	0
0	65.	419.6	58.5	0	0
0	70.	418.644	58.2	0	0
0	75.	417.491	58.	0	0
0	80.	416.291	57.8	0	0
0	85.	415.166	57.7	0	0
0	90.	414.21	57.6	0	0
0	95.	413.487	57.5	0	0
0	100.	413.037	57.5	0	0
0	105.	412.886	57.5	0	0
0	110.	413.037	57.5	0	0
0	115.	413.487	57.5	0	0
0	120.	414.21	57.6	0	0
0	125.	415.166	57.7	0	0
0	130.	416.291	57.8	0	0
0	135.	417.491	58.	0	0
0	140.	418.644	58.2	0	0
0	145.	419.6	58.5	0	0
0	150.	420.191	58.9	0	0
0	155.	420.248	59.3	0	0
0	160.	419.62	59.7	0	0
0	165.	418.209	60.1	0	0
0	170.	415.99	60.4	0	0
0	175.	413.039	60.7	0	0

Hatfield & Dawson Consulting Engineers, LLC

0	180.	409.54	60.9	0	0
0	185.	405.775	60.9	0	0
0	190.	402.101	60.7	0	0
0	195.	398.893	60.4	0	0
0	200.	396.492	60.	0	0
0	205.	395.139	59.5	0	0
0	210.	394.94	58.9	0	0
0	215.	395.851	58.4	0	0
0	220.	397.698	58.	0	0
0	225.	400.217	57.6	0	0
0	230.	403.111	57.4	0	0
0	235.	406.098	57.3	0	0
0	240.	408.945	57.3	0	0
0	245.	411.491	57.4	0	0
0	250.	413.641	57.6	0	0
0	255.	415.367	57.7	0	0
0	260.	416.686	57.9	0	0
0	265.	417.646	58.	0	0
0	270.	418.307	58.2	0	0
0	275.	418.728	58.3	0	0
0	280.	418.96	58.3	0	0
0	285.	419.033	58.3	0	0
0	290.	418.96	58.3	0	0
0	295.	418.728	58.3	0	0
0	300.	418.307	58.2	0	0
0	305.	417.646	58.	0	0
0	310.	416.686	57.9	0	0
0	315.	415.367	57.7	0	0
0	320.	413.641	57.6	0	0
0	325.	411.491	57.4	0	0
0	330.	408.945	57.3	0	0
0	335.	406.098	57.3	0	0
0	340.	403.111	57.4	0	0
0	345.	400.217	57.6	0	0
0	350.	397.698	58.	0	0
0	355.	395.851	58.4	0	0
0	360.	394.94	58.9	0	0